



# C\_PXSUP\_90<sup>Q&As</sup>

SAP Certified Associate - Support Consultant for Incident Management  
with SAP Business All-in-One

**Pass SAP C\_PXSUP\_90 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.geekcert.com/c\\_pxsup\\_90.html](https://www.geekcert.com/c_pxsup_90.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official  
Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which information can be stored in the SAP Solution Manager system? (Choose two)

- A. Incident and problem information
- B. Service level information
- C. Finance data
- D. Customer data for customer relationship management (CRM)

Correct Answer: AB

---

#### QUESTION 2

Which of the following are applications of the root cause analysis of SAP Solution Manager? (Choose two)

- A. Safe remote access
- B. Performance measurement
- C. Batch job planning
- D. Report development

Correct Answer: AB

---

#### QUESTION 3

You are analyzing a report program with respect to a reported error with the default values on a Selection screen. Where may you find the origin of the default values? (Choose two)

- A. In non-executable ABAP statements like PARAMETERS or SELECT-OPTIONS
- B. In ABAP statements of the Event blocks INITIALIZATION or AT SELECTION-SCREEN OUTPUT
- C. In the element list of the Screen Painter
- D. In the function key settings of the Menu Painter

Correct Answer: AB

---

#### QUESTION 4

Which of the following keywords indicates the beginning of an ABAP processing block? (Choose two)

- A. FORM



- B. START-OF-SELECTION
- C. INCLUDE
- D. PROGRAM

Correct Answer: AB

---

#### QUESTION 5

During the execution of a dialog transaction, you receive an error message about a failed authority check. How could you analyze this? (Choose two)

- A. Use the F1 help to check the message ID and then apply the where-used list in transaction SE91.
- B. Analyze the entry in transaction SU53 (Authorization Data for User) and compare with the User Master Record.
- C. Create a Breakpoint on Statement AUTHORITY-CHECK and watch out for return codes other than 0.
- D. Get the name of the authorization object from the F1 help, navigate to its definition (in SE80) and apply the where-used list.

Correct Answer: BC

[C\\_PXSUP\\_90 PDF Dumps](#)   [C\\_PXSUP\\_90 Practice Test](#)   [C\\_PXSUP\\_90 Study Guide](#)