



C_PXSUP_90^{Q&As}

SAP Certified Associate - Support Consultant for Incident Management
with SAP Business All-in-One

Pass SAP C_PXSUP_90 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c_pxsup_90.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following objects can be tested on their own without using the whole context of a program or transaction? (Choose two)

- A. Forms
- B. Function modules
- C. Screens
- D. Authorization object

Correct Answer: BC

QUESTION 2

Which information will you find in the system log? (Choose two)

- A. ABAP runtime errors
- B. Database errors
- C. Database locks
- D. Error messages of application programs

Correct Answer: AB

QUESTION 3

What will happen if the system field sy-subrc is set to 0 after execution of an ABAP command?

- A. The system will raise an ABAP message.
- B. The system will raise an exception.
- C. The system will create a shortdump and terminate the ABAP program.
- D. The system will continue with the next statement in the ABAP program.

Correct Answer: D

QUESTION 4

What is the function of a data element? (Choose two)

- A. To define the technical attributes of a field (for example, its length).



- B. To define the field help (F1 documentation) and field labels that appear on screens.
- C. To define the meaning of a domain in a certain business context.
- D. To define the possible entries of a field.

Correct Answer: BC

QUESTION 5

What data objects can be accessed in form routines? (Choose two)

- A. All data objects that have been defined locally in the form.
- B. All data objects that have been explicitly passed via the Interface.
- C. All data objects that are defined in the current program (no matter in which processing block).
- D. All data objects in modules that are being called from the current form.

Correct Answer: AB

[Latest C_PXSUP_90 Dumps](#)

[C_PXSUP_90 PDF Dumps](#)

[C_PXSUP_90 VCE Dumps](#)