

## C\_TADM51\_731<sup>Q&As</sup>

SAP Certified Technology Associate - System Administration (Oracle DB) with SAP NetWeaver 7.31

# Pass SAP C\_TADM51\_731 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c\_tadm51\_731.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

You have established a Central User Administration (CUA) in AS ABAP.


What user related data can be distributed from the central to the child systems? (Choose three)

- A. The Information which user master records should exist in which child system
- B. Assignment of roles
- C. Favorites in SAP Easy Access
- D. Definition of roles
- E. Initial passwords

Correct Answer: ABE

#### **QUESTION 2**

You have opened a CCMS monitor in transaction RZ20 (CCMS Monitor Sets).



What can you conclude by analyzing the attached screenshot?

- A. Instances 00 and 01 of SAP system DEV on host twdf1921 are not running.
- B. Instances 00 and 01 of SAP system DEV on host twdf1921 are running, but cannot be reached by CCMS.
- C. All nodes below the MTE "twdf1921\_DEV\_00" have the status "red".
- D. At least one node below the MTE "twdf1921\_DEV\_00" has the status "red".

Correct Answer: D

#### **QUESTION 3**



### https://www.geekcert.com/c\_tadm51\_731.html

2024 Latest geekcert C\_TADM51\_731 PDF and VCE dumps Download

Your company is running an AS ABAP-based SAP System. The employees use SAP GUI for Windows. You want to enable front end printing for all employees which are using the SAP system.

What are possible steps to fulfill this requirement?

- A. Create an output device with the host spool access method "G" and assign the host printer " DEFAULT" to it.
- B. Create an output device with the host spool access method "S" and assign the device type "SAP\_SPRINT" to it.
- C. Create an output device with access method "LOCL" for each local front end printer.
- D. Create an output device "TemSe" and a batch job which redirects the output requests to the local PCs periodically.

Correct Answer: A

#### **QUESTION 4**

Which of the following statements regarding the Transport Management System (TMS) are true? (Choose three.)

- A. For TMS to work, the user ID "TMSADM" is automatically set up on the Transport Domain Controller in client 000.
- B. For TMS to work, the user ID "TMSADM" must be created manually in transaction SU01 (User Maintenance), in client 000 of each SAP System belonging to the same transport domain.
- C. TMS automatically creates RFC destinations for each SAP System, which can be displayed using transaction SM59 (Display/Maintain RFC Destinations).
- D. For each client in each SAP System, TMS creates RFC destinations which can be displayed using transaction SM59 (Display/Maintain RFC Destinations).
- E. During the configuration of the transport domain controller, transport domain control data is written to the file DOMAIN.CFG in the transport directory (subdirectory "bin").

Correct Answer: ACE

#### **QUESTION 5**

In an AS ABAP+Java system, the SAP Web Dispatcher communicates with which of the following?

- A. The AS ABAP message server
- B. The AS Java central service instance
- C. The AS Java message server
- D. Both the AS ABAP and the AS Java message server

Correct Answer: A

Latest C TADM51 731 Dumps C TADM51 731 Exam Questions

C TADM51 731 Braindumps