



C_TPLM30_65^{Q&As}

SAP Certified Application Associate - Enterprise Asset Management
(Maintenance & Repair) with SAP ERP 6.0 EHP5

Pass SAP C_TPLM30_65 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c_tplm30_65.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Where do you define initial and subsequent buffers for the maintenance plan strategy?

- A. In the maintenance item
- B. In the maintenance plan category settings
- C. In the maintenance package for the maintenance strategy
- D. In the maintenance plan scheduling parameters

Correct Answer: C

QUESTION 2

Which of the following rules applies to user status in orders and notifications?

- A. The user status in the notification can be copied into the order.
- B. When you set a new user status with a status number, the previous user status with status number is deactivated.
SAP C_TPLM30_65 Exam
- C. When a user status is flagged as an initial status, it overrides the initial system status CRTD.D.Changes to the user status can affect authorizations.

Correct Answer: B

QUESTION 3

In order type Customizing, you can set the default for when the purchase requisition is created to immediately, from release, or never.

For which combination must you set the default?

- A. Order type and planner group
- B. Order type and plant
- C. Order type and responsible work center
- D. Order type and material type

Correct Answer: B

SAP C_TPLM30_65 Exam

QUESTION 4



Your customer wants to create a component for maintenance that does not allow physical inventory.

Which material type must you use? SAP C_TPLM30_65 Exam

- A. Spare parts (ERSA)
- B. Maintenance assembly (IBAU)
- C. Non-valuated materials (UNBW)
- D. Operating supplies (HIBE)

Correct Answer: B

QUESTION 5

Your customer has several plants.

How do you set up the maintenance organizational structure to implement centralized maintenance planning?

- A. Assign all your work centers to one of your central planning plants.
- B. Define a plant and assign it to a company code.
- C. Assign all your work centers to one of your maintenance plants.
- D. Define a planning plant and assign the maintenance plants to this planning plant in Customizing.

Correct Answer: D

[C_TPLM30_65 PDF Dumps](#)

[C_TPLM30_65 Practice
Test](#)

[C_TPLM30_65 Braindumps](#)