



CORESPRINGV3.2^{Q&As}

Core-Spring (based on Spring 3.2)

Pass SpringSource CORESPRINGV3.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/corespringv3-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by
SpringSource Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Identify the correct statement(s) about the following pointcut expression: `execution(* rewards.restaurant.*Service.find(..))`

- A. The target's type should end with "Service"
- B. The target method name could be "findRestaurantById"
- C. The target method should have one argument only
- D. The target method may have several arguments

Correct Answer: AD

QUESTION 2

Which of the following is NOT true about the `@RequestMapping` annotation? (select one)

- A. It is an annotation for mapping web requests to controller methods.
- B. It is commonly used for component scanning purpose.
- C. You can use it only with `@Controller` annotated classes.

Correct Answer: B

QUESTION 3

Assuming a web application context name of "rewardsonline", a servlet mapping of "/admin/*", and an incoming URL of "/rewardsonline/admin/accounts/show", what is the URL used for Spring MVC request-mapping purposes? (select one)

- A. /rewardsonline/admin/accounts/show
- B. /admin/acounts/show
- C. /accounts/show
- D. /show

Correct Answer: C

QUESTION 4

Select which of the following is a mechanism which can be used with Spring Security to store user details (select one)

- A. Database
- B. LDAP



- C. Properties file
- D. All of the above

Correct Answer: D

QUESTION 5

Which of the following statements is NOT true concerning the BeanPostProcessor Extension point? (Select one)

- A. BeanPostProcessors are called during the init phase
- B. BeanPostProcessors are called after the dependencies have been injected
- C. BeanPostProcessors are called before the BeanFactoryPostProcessors have been called
- D. Custom BeanPostProcessors can be implemented

Correct Answer: C

[CORESPRINGV3.2 VCE Dumps](#)

[CORESPRINGV3.2 Study Guide](#)

[CORESPRINGV3.2 Exam Questions](#)