



DC0-261^{Q&As}

Dell Storage Networking Professional Exam - Version 2

Pass Dell DC0-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/dc0-261.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Dell Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two components of a CX700 array do the standby power supplies connect to? (Choose two.)

- A. The left and right power distribution units (PDUs)
- B. Storage Processor Enclosure (SPE)
- C. the first Disk Array Enclosure (DAE2-OS)
- D. Disk Processor Enclosure (DPE)

Correct Answer: BC

QUESTION 2

You can connect multiple hosts to the same Storage Group if which three conditions are met? (Choose three.)

- A. The operating system supports multiple sharing of the same LUN, or the operating system has layered software that supports multiple hosts sharing the same LUN.
- B. The Storage Group sharing state is set to sharable.
- C. PowerPath must be loaded on all hosts.
- D. The hosts are running the same operating system.

Correct Answer: ABD

QUESTION 3

What steps should you perform to create a copy of a source LUN in a second storage array, while minimizing unavailability of the source LUN?

- A. take a snapshot of the source LUN, then use SAN Copy to copy the snapshot to the second storage array
- B. take a snapshot of the source LUN, then use SAN Copy to copy the source LUN to the second storage array
- C. take a snapshot of the source LUN, runMirrorView to mirror the snapshot to the second array, then use SAN Copy to synchronize the mirror with the source LUN
- D. use SAN Copy to copy the source LUN, then take a snapshot on the second storage array

Correct Answer: A

QUESTION 4

You are connecting a CX700 to a CX500 through a fabric for Mirrorview. Which two zones must be completed? (Choose two.)



- A. Port 1 on SPB of the CX700 must be zoned so that it can communicate with port 1 on SPB of the CX500.
- B. Port 3 on SPB of the CX700 must be zoned so that it can communicate with port 1 on SPB of the CX500.
- C. Port 3 on SPA of the CX700 must be zoned so that it can communicate with port 1 on SPA of the CX500.
- D. Port 1 on SPA of the CX700 must be zoned so that it can communicate with port 1 on SPA of the CX500.

Correct Answer: BC

QUESTION 5

Which two statements about Storage Area Networks (SANs) are true? (Choose two.)

- A. SANs enable the sharing of storage resources via IP / Ethernet networking.
- B. SANs enable the sharing of storage resources across a high speed, low latency, Fibre Channel network.
- C. SANs provide block level I/O access to storage resources.
- D. SANs provide file level I/O access to storage resources.

Correct Answer: BC

[DC0-261 Practice Test](#)

[DC0-261 Exam Questions](#)

[DC0-261 Braindumps](#)