



# E20-326<sup>Q&As</sup>

Symmetrix Solutions Design Exam for Technology Architects Exam

**Pass EMC E20-326 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-326.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A Symmetrix Customer has an application that runs 24 hours a day, 7 days a week and 365 days a year.

They would like to replicate the application data simultaneously to four branch offices on a nightly basis.

The branch offices have EMC VNX arrays.

Which solution would you recommend?

- A. Use TimeFinder/Clone to replicate the production application. Then use Open Replicator cold push to replicate the clones.
- B. Use Open Replicator cold push to replicate the production devices
- C. Use Open Replicator hot push to replicate the production devices.
- D. Use TimeFinder/Snap to replicate the production application. Then use Open Replicator hot push to replicate the VDEVs.

Correct Answer: A

---

### QUESTION 2

What is the maximum data change rate for which you would recommend TimeFinder/Snap over TimeFinder/Clone as a local replication solution?

- A. 10%
- B. 50%
- C. 70%
- D. 30%

Correct Answer: D

---

### QUESTION 3

A Symmetrix VMAX SRDF/A customer is planning to implement DSE. What are the recommended DA and RA utilization levels before implementing DSE?

- A. Less than 50%
- B. Less than 16%
- C. Less than 25%
- D. Less than 70%

Correct Answer: A

---



#### QUESTION 4

A customer is using SRDF/S to replicate a Symmetrix VMAX at the production site to the VMAX at the DR site. The sites are connected using a dedicated T1 link and are 38 km apart. What will significantly improve the link service time between the 2 sites?

- A. Upgrade to a faster link.
- B. Decrease the number of RA ports.
- C. Adding cache to both VMAX arrays.
- D. Increase the priority of the high I/O applications on RA ports.

Correct Answer: A

---

#### QUESTION 5

Which environment type is thin provisioning friendly?

- A. Document and media repositories
- B. File systems that append data instead of reusing free space
- C. Utilities that copy "raw" data such as dd in UNIX
- D. Administrative operations such as bad block detection

Correct Answer: A

[E20-326 VCE Dumps](#)

[E20-326 Exam Questions](#)

[E20-326 Braindumps](#)