



# E20-326<sup>Q&As</sup>

Symmetrix Solutions Design Exam for Technology Architects Exam

**Pass EMC E20-326 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-326.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

When performing a consistent mode change from SRDF/A to SRDF/S, how many cycles does this process take?

- A. After two cycle switches
- B. After one cycle switch
- C. Immediately
- D. After the cycle time expires

Correct Answer: A

---

#### QUESTION 2

Using SRDF/S, In Enginuity 5772 and later, How many concurrent writes can a device receive?

- A. 6
- B. 16
- C. 2
- D. 8

Correct Answer: D

---

#### QUESTION 3

You have been working with a customer on a new SRDF/A design and need to validate the configuration using Symmetrix data. Which tool do you use?

- A. SymmMerge
- B. Tier Advisor
- C. E-lab Advisor
- D. Analyzer Helper

Correct Answer: A

---

#### QUESTION 4

You have used BCSD to model an SRDF/S solution. What information can be obtained from the model?

- A. Bandwidth requirement, RA utilization, and volume exceptions



- B. RA utilization, DA and cache utilization, and host service time
- C. Cache utilization, RA utilization, and potential problem volumes
- D. Bandwidth requirement, RA utilization, and network latency

Correct Answer: A

---

#### QUESTION 5

When does the ACOFW behavior apply in a TimeFinder/Snap environment?

- A. Writes to protected tracks on the source device
- B. Writes to protected tracks on the virtual device
- C. All writes to the source device
- D. All writes to the virtual device

Correct Answer: A

[Latest E20-326 Dumps](#)

[E20-326 VCE Dumps](#)

[E20-326 Exam Questions](#)