



# E20-377<sup>Q&As</sup>

RecoverPoint/SE Specialist Exam for Implementation Engineers

**Pass EMC E20-377 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-377.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What is the result if one or more source (R1) devices in an SRDF/S consistency group cannot propagate data to their corresponding target (R2) devices?

- A. RDF daemon trips the con-group, thereby suspending data propagation from all R1 devices in the consistency group.
- B. Target (R2) devices will be Read/Write enabled at the R2 site.
- C. PowerPath suspends data propagation to the R1 devices in the consistency group (trip the con-group).
- D. RDF daemon suspends the data propagation from the affected R1 devices while maintaining consistency among the remaining devices.

Correct Answer: A

---

### QUESTION 2

TimeFinder/Snap virtual devices will be used as the control devices in an Open Replicator implementation. What should be the state of the virtual devices to create an Open Replication session?

- A. Held
- B. Not Ready
- C. Read Write
- D. Write Disabled

Correct Answer: B

---

### QUESTION 3

Which UNIX utility or tool would you use to perform an IBM-AIX host-based data migration?

- A. Migratepv
- B. Vxevac
- C. Pvmove
- D. vxmigrate

Correct Answer: A

---

### QUESTION 4

Open Replicator Cold Push will be used to move data between a Symmetrix V-Max array and a third-party array. Which



step is required before issuing the Open Replicator create command?

- A. Set the control devices to Not Ready
- B. Set the remote devices to Not Ready
- C. Set the control devices to Read Write
- D. Set a device reservation on the remote devices

Correct Answer: A

---

#### QUESTION 5

Which feature allows the contents of a BCV to remain unchanged during and after operation? Even while the BCV and the standard is synchronized?

- A. Protected restore
- B. Full establish
- C. Symmir restore
- D. Incremental restore

Correct Answer: C

[E20-377 PDF Dumps](#)

[E20-377 Practice Test](#)

[E20-377 Exam Questions](#)