

E20-377^{Q&As}

RecoverPoint/SE Specialist Exam for Implementation Engineers

Pass EMC E20-377 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/e20-377.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/e20-377.html

2024 Latest geekcert E20-377 PDF and VCE dumps Download

QUESTION 1

An SRDF/A session are active, and the device pairs are in a consistent state. What will happen if there is a temporary loss of all links?


- A. RPO will increase.
- B. SRDF/A will drop.
- C. Devices will go into Synchronous mode.
- D. Devices will go into a Partitioned state.

Correct Answer: A


QUESTION 2

Refer to the exhibit

What is the correct state for the Standard and RI-BCV prior to issuing a symreplicate start command?



https://www.geekcert.com/e20-377.html 2024 Latest geekcert E20-377 PDF and VCE dumps Download



- A. Synchronized
- B. Suspended
- C. Split
- D. Write-Enable

Correct Answer: C

QUESTION 3

If a customer wants to restrict certain thin pools from reaching their capacity limit, which option would the customer use?

- A. Set oversubscription
- B. Set data device
- C. Set thin device
- D. Set utilization threshold

Correct Answer: A

QUESTION 4

What is recommended before creating a TimeFinder/Clone replica?

- A. Ensure that the clone target devices are not being actively accessed
- B. Ensure that the production application using the source devices is shut down
- C. Set the clone target devices to a Not Ready state
- D. Ensure that all writes from the production application using the source devices are paused

Correct Answer: A

VCE & PDF GeekCert.com

https://www.geekcert.com/e20-377.html

2024 Latest geekcert E20-377 PDF and VCE dumps Download

QUESTION 5

Open Replicator will be used to move data from a Symmetrix V-Max array to a CLARiiON array. The CLARiiON has NOT been discovered by the host on which the Open Replicator commands are issued. Which information has to be specified in the Open Replicator device file?

- A. The CLARiiON Array ID and LUN ID
- B. The WWN of the CLARiiON LUN
- C. The CLARiiON Array ID and WWN of the CLARiiON LUN
- D. The WWN and LUN ID of the CLARiiON LUN

Correct Answer: B

Latest E20-377 Dumps

E20-377 VCE Dumps

E20-377 Exam Questions