



E20-385^{Q&As}

Data Domain Specialist Exam for Implementation Engineers

Pass EMC E20-385 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-385.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

By default, which percentage of CPU resources are allocated to the EMC Data Domain cleaning cycle?

- A. 25%
- B. 30%
- C. 50%
- D. 75%

Correct Answer: C

QUESTION 2

Refer to the Exhibit.



When creating a second shelf chain on a EMC Data Domain controller, what are the two recommended SAS ports that should be used?

- A. 3a and 2a B. 3a and 2b
- C. 3b and 2a
- D. 3b and 2b

Correct Answer: C

QUESTION 3

An organization currently writes backups to an EMC Data Domain system and then creates encrypted copies of their backups on tapes. These tapes are then shipped to a third-party offsite vault. They are now planning to deploy a second Data Domain system to a secure data center at their corporate headquarters as a replication target to replace the use of the offsite tapes. The two sites are connected through the Internet.

Where should encryption be applied on the Data Domain systems to ensure a similar level of data security as achieved by their current process?



- A. Encrypt the replication context
- B. Encrypt the data at rest
- C. Encrypt the data at rest and the replication context
- D. Encryption is not required

Correct Answer: A

QUESTION 4

Refer to the Exhibit.



When connecting a single expansion shelf to an EMC Data Domain DD670, what are the recommended SAS ports that should be used?

- A. 2a and 3a
- B. 2b and 3b
- C. 3a and 2b
- D. 3b and 2a

Correct Answer: C

QUESTION 5

A customer is using DD Boost on their EMC Data Domain system. They want to use more than one network interface to send data to the Data Domain system from their Symantec NetBackup Media Servers.

Which DD Boost feature can be used to accomplish this task?

- A. Interface groups
- B. LACP
- C. IP Aliasing



D. DSP

Correct Answer: A

[E20-385 PDF Dumps](#)

[E20-385 Practice Test](#)

[E20-385 Exam Questions](#)