



# E20-390<sup>Q&As</sup>

VNX Solutions Specialist Exam for Implementation Engineers

**Pass EMC E20-390 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-390.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

When configuring a thin LUN what option must be selected?

- A. Thin box in the Create LUN menu must be checked
- B. Private RAID group must be selected in the Create LUN menu
- C. LUN Name must be assigned in the Create LUN menu
- D. RAID group must be selected in the Create LUN menu

Correct Answer: A

---

### QUESTION 2

Refer to the Exhibit.



What type of DAE is in the picture?

- A. DAE5S
- B. DAE6S
- C. DAE7S
- D. DAE3S

Correct Answer: A

---

### QUESTION 3

What is the default port used for secure LDAP (LDAPS) communications on a VNX system?

- A. 389



B. 443

C. 563

D. 636

Correct Answer: D

---

#### QUESTION 4

A storage administrator is adding a third VNX system (VNX3) to a secondary site. The third system will be part of an active/active VNX IP replicating cluster. The administrator has set up the usermapper as a secondary usermapper (VNX2) pointing to the primary usermapper (VNX1).

When will data on the secondary usermapper (VNX2) get updated if a new unmapped user is accessing the new VNX system (VNX3)?

- A. Not until the user accesses the CIFS server located on VNX2
- B. As soon as the primary usermapper (VNX1) has generated an entry for the user
- C. At 0:00 AM every night when the primary usermapper (VNX1) updates all the secondary usermappers (VNX2/VNX3)
- D. As soon as an export of the database from the primary usermapper (VNX1) is imported to the VNX2 usermapper

Correct Answer: A

---

#### QUESTION 5

What is the length of RSA keys used to encrypt and decrypt network traffic in a VNX environment?

- A. 2048 bytes
- B. 1024 bits
- C. 1024 bytes
- D. 2048 bits

Correct Answer: D

Explanation:



- Default self-signed certificates
  - ▶ SPA, SPB & Control Station
  - ▶ 2048 bit RSA keys

[E20-390 PDF Dumps](#)

[E20-390 VCE Dumps](#)

[E20-390 Study Guide](#)