



# E20-405<sup>Q&As</sup>

EMC Content Management Server Programming(CMSP)

**Pass EMC E20-405 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-405.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which method is used to set the principal authentication identity?

- A. `IdfSessionManager.setPrincipalName()` only
- B. `IdfSessionManager.setIdentity()` only
- C. `IdfSessionManager.setPrincipalName()` and `IdfSessionManager.setIdentity()`
- D. `IdfLoginManager.setPrincipalName()` and `IdfSessionManager.setIdentity()`

Correct Answer: A

---

### QUESTION 2

The `IDfQuery` interface provides \_\_\_\_\_.

- A. status information about the execution of a query
- B. a container for passing a query string directly to the search source
- C. factory methods for a query and interfaces for persistent query management
- D. functionality to set how often the query results need to be checked for consistency with the server

Correct Answer: A

---

### QUESTION 3

You have created a custom administrative application that supports acl administration by non-sysadmin or superusers. You want to implement dynamic groups to model this feature. You create a group object, named "LocalAdmins," set `is_dynamic=T`, and set `is_dynamic_default = F`, which treats users as non-members of the group. What should your application do to take advantage of the "LocalAdmins" dynamic group?

- A. do nothing else
- B. execute `IdfSession.removeDynamicGroup("LocalAdmins");`
- C. execute `IdfSession.addDynamicGroup("LocalAdmins");`
- D. add all applicable users to "LocalAdmins" upon session creation and remove all applicable users from "LocalAdmins" upon session release

Correct Answer: C

---

### QUESTION 4

Given the following code: `IMyService1.createFolder()` and `IMyService2.createDocuments()` perform steps that can be



aborted if in a transaction. Which statement is true?

- A. When createDocuments() method throws an exception, both createFolder() and createDocuments() methods are aborted.
- B. When createDocuments() method throws an exception, only createDocuments() method is aborted.
- C. When createDocuments() method throws an exception, sessionManager.abortTransaction() throws a DfException set to DM\_DFC\_E\_INVALID\_OPER\_ON\_MANAGED\_SESSION.
- D. SBOs do not participate in transactions.

Correct Answer: A

---

#### QUESTION 5

You want to retrieve one document from a specific cabinet '\\XYZ\' using the getObjectByQualification(String qualification) method. Which qualifier should you use?

- A. dm\_document WHERE FOLDER('\\XYZ\'')
- B. dm\_document WHERE r\_folder\_path = '\\XYZ\'
- C. SELECT r\_object\_id FROM dm\_document WHERE FOLDER('\\XYZ\'')
- D. SELECT r\_object\_id FROM dm\_document WHERE r\_folder\_path = '\\XYZ\'

Correct Answer: A

[Latest E20-405 Dumps](#)

[E20-405 Study Guide](#)

[E20-405 Exam Questions](#)