



E20-517^{Q&As}

Symmetrix Solutions Specialist Exam for Storage Administrators

Pass EMC E20-517 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-517.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An external disk (eDisk) configured on a Symmetrix displays "Degraded" service state when you display detailed information about the disk using SYMCLI.

What state would you expect to see reported under the "DA hyper status" ?

- A. Ready
- B. Not Ready
- C. Failed
- D. Normal

Correct Answer: A

QUESTION 2

What will happen if one or more source (R1) devices in an SRDF/Synchronous consistency group cannot propagate data to their corresponding target (R2) devices?

- A. Data propagation from all R1 devices in the consistency group to the R2 targets will be suspended
- B. Data propagation from the specific R1 devices to their corresponding R2 targets will be suspended
- C. SRDF/S replication will be suspended and a consistent data cleanup will be performed on the R2 targets
- D. All RDF device pairs in the consistency group will be set to Not Ready

Correct Answer: A

QUESTION 3

What is the maximum number of entries allowed in a VMAX Initiator Group?

- A. 8
- B. 16
- C. 32
- D. 64

Correct Answer: C

QUESTION 4

A customer is planning to migrate data belonging to two applications (A and B) from an older array to a new Symmetrix



VMAX. Both migrations will run in parallel. However, it is necessary to transfer data from application A (session A) as fast as possible. The data from application B (session B) can be transferred at a slower rate.

Which settings should be used to run the two sessions?

- A. The pace of session A should be set to 0. The pace for session B should be set to 9.
- B. The pace for session A should be set to 9. The pace for session B should be set to 0.
- C. Session A should be assigned to a Fibre Channel director with a ceiling setting of 100. Session B should be assigned to a different director with a ceiling value of 10.
- D. Session A should be assigned to a Fibre Channel director with a ceiling setting of 10. Session B should be assigned to a different director with a ceiling value of 100.

Correct Answer: A

QUESTION 5

Which command can be used to backup all the masking information to a file and restore them from a backup file?

- A. symaccess
- B. symdg
- C. symcg
- D. symsg

Correct Answer: A

[Latest E20-517 Dumps](#)

[E20-517 Study Guide](#)

[E20-517 Brindumps](#)