

E20-593^{Q&As}

Backup and Recovery Implementation Exam

Pass EMC E20-593 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/e20-593.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/e20-593.html

2024 Latest geekcert E20-593 PDF and VCE dumps Download

QUESTION 1

An EMC NetWorker administrate	r wants to prevent t	apes from staying r	mounted after backups complete.

Which parameter must be set?

- A. Idle device timeout
- B. Poll interval
- C. Unload sleep
- D. Eject time

Correct Answer: A

QUESTION 2

An EMC NetWorker customer has one tape library with two tape drives. The customer has determined that 10 save sets, running in parallel, will optimize the throughput to the individual tape drives.

Which parameter can be changed so that the optimal amount of save sets is sent to one tape drive before using the next drive?

- A. Target sessions
- B. Client parallelism
- C. Server parallelism
- D. Group parallelism

Correct Answer: A

QUESTION 3

Click the Calculator icon in the upper left-hand corner.

In an EMC NetWorker environment, the customer is backing up 500 GB per day. The 500 GB is comprised of 35,000 very large files. According to EMC best practices, approximately how large will the Client File Index (CFI) be?

- A. 6 MB
- B. 4 MB
- C. 8 MB
- D. 10 MB

Correct Answer: C

https://www.geekcert.com/e20-593.html 2024 Latest geekcert E20-593 PDF and VCE dumps Download

QUESTION 4

A Dell EMC NetWorker backup administrator wants to run a clone after backing up their Microsoft Windows clients. Which configuration will combine the backup and clone?

- A. Action
- B. Policy
- C. Workflow
- D. Protection Group

Correct Answer: A

QUESTION 5

An EMC NetWorker server has been configured to stage an adv_file type device upon reaching an high water mark of 80%. After the staging begins, what rule determines when the staging process ends?

- A. The capacity must fall below the low water mark
- B. The capacity must fall below the high water mark
- C. The adv_file type device must be empty
- D. The predefined amount of data is moved

Correct Answer: A

E20-593 PDF Dumps

E20-593 VCE Dumps

E20-593 Practice Test