



E20-598^{Q&As}

Backup and Recovery - Avamar Specialist Exam for Storage Administrators

Pass EMC E20-598 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-598.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What must be installed to perform Avamar file level recoveries of Exchange 2010 databases?

- A. Avamar Exchange Database and Exchange Message plug-ins
- B. Avamar Exchange VSS and Exchange GLR plug-ins
- C. Avamar Exchange Database plug-in and Exchange Recovery Storage Group
- D. Avamar Exchange VSS plug-in and Exchange Recovery Storage Group

Correct Answer: B

QUESTION 2

By default, what does the Avamar Email Home profile send?

- A. Status of the daily integrity check
- B. Avamar alerts once daily
- C. Reports once daily
- D. Avamar alerts as they occur

Correct Answer: D

Email Home An optional feature that uses the High Priority Events profile and Notification schedule to regularly send server error and status messages to EMC Technical Support.

Facilitating support

EMC recommends that you enable ConnectEMC and Email Home on all Avamar systems:

- ◆ ConnectEMC automatically generates service requests for high priority events.
 - ◆ Email Home emails configuration, capacity, and general system information to EMC Customer Support.
-

QUESTION 3






In the EMC Avamar Administration Server View, what color is the status indicator when the node cannot communicate with the administrator server?



- A. Gray
- B. Red
- C. Blue
- D. Amber

Correct Answer: A

Table 44 Server Monitor Avamar tab properties (page 1 of 2)

Property	Description
Node	
Status indicators	One of the following: <ul style="list-style-type: none"> Online (green)—The node is functioning properly. Read-Only (blue)—This status occurs normally as background operations are performed and when backups have been suspended. Time-Out (gray)—MCS could not communicate with this node. Unknown (yellow)—Node status cannot be determined. Offline (red)—The node has experienced a problem. If ConnectEMC has been enabled, a Service Request (SR) is logged. ¹

QUESTION 4

You need to install a multi-node EMC Avamar server. To which location should you copy the Avamar software file?

- A. Utility node only
- B. Utility node and active data nodes
- C. Utility node, active data nodes, and spare node
- D. Active data nodes only

Correct Answer: A

QUESTION 5

Which EMC tool provides all the necessary steps, in the correct order, to implement an EMC Avamar server?

- A. Avamar Procedure Generator



B. EMC Backup System Sizer

C. TS-Kit Configuration Guide

D. TS-Kit Test Plan

Correct Answer: A

[E20-598 VCE Dumps](#)

[E20-598 Study Guide](#)

[E20-598 Braindumps](#)