



E20-616^{Q&As}

Symmetrix Installation and Troubleshooting Specialist

Pass EMC E20-616 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-616.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

SPS 2A in Storage Bay 1A has a life of 300 seconds. How many power failures can it withstand?

- A. 1
- B. 2
- C. 5
- D. 4

Correct Answer: A

QUESTION 2

Starting with which microcode level requires you to have a secure logon ID in order to operate the Service Processor?

- A. 5772
- B. 5876
- C. 5875
- D. 5773

Correct Answer: A

QUESTION 3

Which component is used to connect the Service Processor to the Engines?

- A. Management Module
- B. System Interface Board
- C. USB Port
- D. Messaging Interface Board Enclosure

Correct Answer: A

QUESTION 4

You are configuring SRDF on a single bay VMAX 10K. Which Director slices can you select for the Fiber Channel RF links while maintaining redundancy?

- A. 1H, 2H



B. 7H, 8H

C. 7G, 8G

D. 1H, 1G

Correct Answer: A

QUESTION 5

What is the vault hyper size in GB for configuring a new VMAX 20K?

A. 5

B. 9

C. 4.5

D. 0.5

Correct Answer: A

[E20-616 PDF Dumps](#)

[E20-616 Study Guide](#)

[E20-616 Exam Questions](#)