



# E20-690<sup>Q&As</sup>

VNX Solutions Specialist Exam for Platform Engineers

**Pass EMC E20-690 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-690.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

By default, how does USM install new VNX OE software for Block and File?

- A. USM installs the VNX for File software first, then installs the VNX for Block software on a VNX.
- B. USM installs the File language package first, then installs the block language package.
- C. USM installs the VNX for block software first, then installs the VNX for file software on a VNX
- D. USM installs the VNX for File software on either a file-only system or Unified system. The VNX for Block software on the system remains unchanged.

Correct Answer: A

---

#### QUESTION 2

You are an EMC service provider and want to install the ESRS IP client solution. The workstation on which you want to install this software is on a network with a proxy server. What information must you provide in order to be able to install the solution?

- A. You must provide your proxy server IP address and the array IP address.
- B. Service partners are not allowed to install the ESRS IP client at a customer site.
- C. You must provide your Powerlink SecurID credentials and the proxy configuration.
- D. You must provide the array serial number and the proxy configuration.

Correct Answer: C

---

#### QUESTION 3

When using USM's Capture Diagnostic Data feature, where are the files automatically stored upon completion of this task?

- A. They are in the C:\EMC\repository folder located on the system running USM.
- B. They are automatically uploaded to EMC support if the system is registered.
- C. The user is prompted to either view them or upload them to EMC if ConnectHome is configured.
- D. They are automatically stored in the repository located on the VNX vault drives.

Correct Answer: A

---

#### QUESTION 4

What reason code will a healthy VNX with dual control station and two data movers display with the /nas/ sbin/getreason



command?

- A. 10, 11, 5, 5
- B. 10, 10, 5, 5
- C. 10, 11, 5, 6
- D. 10, 12, 5, 6

Correct Answer: A

---

#### QUESTION 5

When installing a VNX for File, which subnet must be used?

- A. The same subnet as the Control Station public network interface
- B. The same subnet as the Control Station private network interface
- C. The same subnet as Domain Server public network interface
- D. The same subnet as the Data Movers public network

Correct Answer: A

[Latest E20-690 Dumps](#)

[E20-690 Study Guide](#)

[E20-690 Braindumps](#)