



E20-880^{Q&As}

VNX Solutions Expert Exam for Technology Architects

Pass EMC E20-880 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-880.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the Exhibit.



A VNX Administrator is monitoring the workload and is considering adding a few flash drives. Based on the workload shown in the illustration, what would be the outcome of adding these drives?

- A. Reduces the moderate skew.
- B. Reduces the heavy skew.
- C. Reduces the low skew.
- D. Has no effect on skew.

Correct Answer: A

QUESTION 2

A customer decides to oversubscribe a switch port group to optimize switch usage. What factors need to be considered?



- A. Bandwidth, IO and response times
- B. Bandwidth, response time and utilization
- C. Bandwidth, IO and transfer rates
- D. Bandwidth, transfer rates and utilization

Correct Answer: A

QUESTION 3

You are working with a customer that recently refreshed their hardware with a VNX storage system configured with Flash drives. During this swap customer also migrated their Exchange 2010 environment to the VNX. Now the customer is claiming that they do not see any performance improvement with their Exchange environment.

What is your explanation?

- A. Exchange 2010 was deployed in FAST VP.
- B. Database and log files are in the same FAST VP.
- C. FAST Cache is not enabled on log volumes.
- D. Thin LUNs were not 100% pre-allocated in FAST VP.

Correct Answer: A

QUESTION 4

A customer is interested in implementing SSDs to improve response time for a sensitive database that generates mostly small random reads. The compute platform for this customer is Cisco UCS with on-board SSDs, which are not being utilized at this time. The customer asks which EMC product could help leverage their existing assets?

- A. XtremSW
- B. XtremSF
- C. FAST Cache
- D. PowerPath/VE

Correct Answer: A

QUESTION 5

A VMware Administrator has received numerous reports from his users about performance degradation. The administrator believes that your storage design on the VNX is the reason for the symptoms.

You ask the administrator for an esxtop analysis of the affected ESXi server. When you examine the report and notice that the value on the Load Average Line is 2.00.



What would you report back to the administrator?

- A. The ESXi server is overloaded. The VMs should be redistributed or physical CPUs added.
- B. The VM load is 2% of the total ESXi capacity. There is a different reason for the condition.
- C. Each VM is only 2% loaded of their individual capacity. They are not the cause of the condition.
- D. The ESXi CPU multiplier is set to 2, allowing each VM to have four vCPUs configured. Further investigation is required.

Correct Answer: A

[E20-880 PDF Dumps](#)

[E20-880 Practice Test](#)

[E20-880 Exam Questions](#)