



# EW0-300<sup>Q&As</sup>

Extreme Networks Specialist....





## Pass Extreme Networks EW0-300 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ew0-300.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Extreme Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

The maximum number of EAPS domains supported per switch and ring is?

- A. 64
- B. 32
- C. 16
- D. 8

Correct Answer: A

---

#### QUESTION 2

Is it possible to create multicast STPD on a switch?

- A. No
- B. Yes, but only if all ports are in the same STP mode
- C. Yes, but only if all ports are in 802.1D mode
- D. Yes, but overlapping ports may not be in 802.1D mode for more then one STPD.

Correct Answer: D

---

#### QUESTION 3

An Ethernet Automatic Protection Switching (EAPS) domain relies on a control VLAN. That control VLAN must be tagged with an 802.1Q tag.

- A. TRUE
- B. FALSE

Correct Answer: A

---

#### QUESTION 4

What is the RP-set?

- A. It is the information of which RP are available for what Multicast groups.It is send by the BSR towards all PIM routers
- B. It is the information of which multicast groups are activelt is send by the RP towards all PIM routers
- C. It is the information of which BSR are available for what Multicast groups.It is send by RP towards all PIM routers



D. It is the information, stored by all RP, needed to find the BSR,

Correct Answer: A

---

#### QUESTION 5

An Ethernet Automatic Protection Switching (EAPS) domain relies on a control VLAN. The ports in that control VLAN must be tagged, and participating in the ring only.

A. True

B. False

Correct Answer: A

[Latest EW0-300 Dumps](#)

[EW0-300 PDF Dumps](#)

[EW0-300 Practice Test](#)