

EX0-104^{Q&As}

TMap Next Foundation

Pass EXIN EX0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/ex0-104.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EXIN Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

See the specification below:

IF A AND (B OR C) THEN error message ENDIF

How many logical test cases are distinguished if Semantic Testing with coverage type decision points condition/decision coverage is used?

А	2
<i>,</i>	~

- B. 3
- C. 4
- D. 8

Correct Answer: A

QUESTION 2

See the specification below in which a decision point is described:

R = (D OR E) AND F

Use of the coverage type decision points modified condition/decision coverage produces the following table with test situations:

R = (D OR E) AND F	1	0	
D	404	004	
E		001	
F	101	100	

Which values are missing where the dots are stated (? to make the table complete?

A. 010

B. 011

- C. 110
- D. 111

Correct Answer: B

QUESTION 3



See the figure below:

Screen 2.6	2.6 Always Wrong			W/V	W/V	Always Valid		
Value Too many symbols	Too few symbols	Wrong symbols	Value outside of range	Leave field empty	Value zero	Min. value	Max. value	
Bank group	> 5	< 5	- num	not applicable	EM	EM	00001	55555
Expiry date	> 4	< 4	- num	-**01.**12	0K	EM		
Postcode	> 6	< 6	- alphanum	- GGGGXXX	EM	EM		
Pin Ind	>1	<1	- alpha	- (Y,N)	EM	FM	Y	N

Of which test design technique is this an example?

- A. Data Combination Test
- B. Data Cycle Test
- C. Semantic Test
- D. Syntactic Test
- Correct Answer: D

QUESTION 4

Under which circumstance can Exploratory Testing be used effectively?

A. when experienced testers with domain knowledge are available

B. when testing must be as brief as possible on the critical path of the project

C. when critical functionality, failure of which can cause severe damage, must be tested

Correct Answer: A

QUESTION 5

See the specification below:

IF	Dutch telephone number AND telephone number does not contain 10 digits	
THEN	error message	
ENDIF		

How many logical test cases can be generated if a semantic test using the coverage type decision points modified condition/decision coverage is used?

A. 1

- B. 2
- C. 3



D. 4

Correct Answer: C

EX0-104 PDF Dumps

EX0-104 Exam Questions

EX0-104 Braindumps