



# EX200<sup>Q&As</sup>

Red Hat Certified System Administrator - RHCSA

## Pass RedHat EX200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ex200.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Please open the ip\_forward, and take effect permanently.

Correct Answer: Check the answer in explanation.

```
vim /etc/sysctl.conf net.ipv4.ip_forward = 1
```

sysctl -w (takes effect immediately) If no "sysctl.conf" option, use these commands:

```
sysctl -a |grep net.ipv4
```

```
sysctl -P net.ipv4.ip_forward = 1
```

```
sysctl -w
```

---

### QUESTION 2

There is a local logical volumes in your system, named with shrink and belong to VGSRV volume group, mount to the /shrink directory. The definition of size is 320 MB.

Requirement:

Reduce the logical volume to 220 MB without any loss of data. The size is allowed between 200-260 MB after reducing.

Correct Answer: Check the answer in explanation.

```
cd;umount /shrink e2fsck -f /dev/mapper/vgsrv-shrink resize2fs /dev/mapper/vgsrv-shrink 220M lvreduce -L 220M /dev/mapper/vgsrv-shrink mount -a
```

---

### QUESTION 3

Part 1 (on Node1 Server)

Task 8 [Managing Local Users and Groups]

Create a user fred with a user ID 3945. Give the password as iamredhatman

Correct Answer: Check the answer in explanation.

```
* [root@node1 ~]# useradd -u 3945 fred [root@node1 ~]# echo "iamredhatman" | passwd --stdin fred Changing password for user fred. passwd: all authentication tokens updated successfully
```

---

### QUESTION 4

According to the following requirements to create user, user group and the group members:

-



A group named admin.

-

A user named mary, and belong to admin as the secondary group.

-

A user named alice, and belong to admin as the secondary group.

-

A user named bobby, bobby's login shell should be non-interactive. Bobby not belong to admin as the secondary group. Mary, Alice, bobby users must be set "password" as the user's password.

Correct Answer: Check the answer in explanation.

```
groupadd admin useradd -G admin mary useradd -G admin alice useradd -s /sbin/nologin bobby echo "password" |  
passwd --stdin mary echo "password" | passwd --stdin alice echo "password" | passwd --stdin bobby
```

---

#### QUESTION 5

Set cronjob for user natasha to do /bin/echo hiya at 14:23.

Correct Answer: Check the answer in explanation.

```
# crontab -e -u natasha 23 14 * * * /bin/echo hiya wq!
```

[Latest EX200 Dumps](#)

[EX200 Study Guide](#)

[EX200 Brindumps](#)