



EX300^{Q&As}

Red Hat Certified Engineer (RHCE)

Pass RedHat EX300 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ex300.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

SIMULATION

There were two systems:

system1, main system on which most of the configuration take place

system2, some configuration here

Configure repository.

Create a Repository for your virtual machines. The URL is [http://station.network.0.example.com/content/](http://station.network.0.example.com/content/rhel7.0/x86_64/dvd)

[rhel7.0/x86_64/dvd](http://station.network.0.example.com/content/rhel7.0/x86_64/dvd)

Correct Answer: Please see explanation

Explanation:

```
# vim /etc/yum.repos.d/local.repo
```

```
[localrepo]
name = Local Repo for RHCE Exam
baseurl = http://station.network0.example.com/content/rhel7.0/x86_64/dvd
gpgcheck = 0
enabled = 1
```

Save and Exit (:wq) Then run this:

```
# yum clean all
# yum repolist
```

QUESTION 2

SIMULATION

Configure the ftp to allow anonymously download the directory /var/ftp/pub, and reject the domain t3gg.com to access.

Correct Answer: Please see explanation

Explanation:



```
# yum install -y vsftpd
# chkconfig vsftpd on
# services vsftpd start

# vim /etc/hosts.deny
vsftpd: 172.25.0.0/16
```

OR

```
# iptables -A INPUT -s 172.25.0.0/16 -p tcp -dport 20:21 -j REJECT
# services iptables save
```

QUESTION 3

SIMULATION

In accordance with the following requirements to deploy ssh login service: harry belongs to example.com which can remote login your systems. However, users of remote.test cannot use ssh login to your machine.

Correct Answer: Please see explanation

Explanation:

```
[root@server1 ~]# grep sshd /etc/hosts.allow
sshd:.example.com
[root@server1 ~]# grep sshd /etc/hosts.deny
sshd:.remote.test
```

Notice:

tcp_wrappers has two configuration files and their priority level is /etc/hosts.allow->/etc/hosts.deny

QUESTION 4

SIMULATION

Configure a mail alias to your MTA, for example, send emails to harry but mary actually is receiving emails.

Correct Answer: Please see explanation

Explanation:



```
Modify /etc/aliases,add:  
harry: mary harry  
After completing modification:  
[root@server1 virtual]# newaliases
```

Notice:

This problem is a trap. The question no 31 requires that harry must be able to receive remote emails but the problems in the question no 32 requires mary to receive harry's emails. So harry must be added when you are deploying aliases.

QUESTION 5

SIMULATION

Create the directory /storage and group owner should be the sysusers group.

Correct Answer: Please see explanation

Explanation:

```
chgrp sysusers /storage
```

Verify using `ls -ld /storage` command.

You should get like `drwxr-x--- 2 root sysusers 4096 Mar 16 17:59 /storage` `chgrp` command is used to change the group ownership of particular files or directory.

Another way you can use the `chown` command.

```
chown root:sysusers /storage
```

[EX300 PDF Dumps](#)

[EX300 VCE Dumps](#)

[EX300 Practice Test](#)