FCNSA.V5 Q&As

Fortinet Certified Network Security Administrator (FCNSA.v5)

Pass Fortinet FCNSA.V5 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/fcnsa-v5.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

QUESTION 1

If no firewall policy is specified between two FortiGate interfaces and zones are not used, which of the following statements describes the action taken on traffic flowing between these inter- faces?

A. The traffic is blocked.

B. The traffic is passed.

C. The traffic is passed and logged.

D. The traffic is blocked and logged.

Correct Answer: A

QUESTION 2

Which of the following Fortinet products can receive updates from the FortiGuard Distribution Network? (Select all that apply.)

A. FortiGate

B. FortiClient

C. FortiMail

D. FortiAnalyzer

Correct Answer: ABC

QUESTION 3

Each UTM feature has configurable UTM objects such as sensors, profiles or lists that define how the feature will function.

An administrator must assign a set of UTM features to a group of users.

Which of the following is the correct method for doing this?

A. Enable a set of unique UTM features under "Edit User Group".

B. The administrator must enable the UTM features in an identify-based policy applicable to the user group.

C. When defining the UTM objects, the administrator must list the user groups which will use the UTM object.

D. The administrator must apply the UTM features directly to a user object.

Correct Answer: B

QUESTION 4

The FortiGate Web Config provides a link to update the firmware in the System > Status win- dow. Clicking this link will perform which of the following actions?

A. It will connect to the Fortinet support site where the appropriate firmware version can be se- lected.

B. It will send a request to the FortiGuard Distribution Network so that the appropriate firmware version can be pushed down to the FortiGate unit.

C. It will present a prompt to allow browsing to the location of the firmware file.

D. It will automatically connect to the Fortinet support site to download the most recent firmware version for the FortiGate unit.

Correct Answer: C

QUESTION 5

Because changing the operational mode to Transparent resets device (or vdom) to all defaults, which precautions should an Administrator take prior to performing this? (Select all that apply.)

A. Backup the configuration.

B. Disconnect redundant cables to ensure the topology will not contain layer 2 loops.

C. Set the unit to factory defaults.

D. Update IPS and AV files.

Correct Answer: AB

Latest FCNSA.V5 Dumps FCNSA.V5 VCE Dumps FCNSA.V5 Exam Questions