



FM0-305^{Q&As}

Developer Essentials for FileMaker 11

Pass FileMaker FM0-305 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/fm0-305.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by FileMaker
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given the following function:

Let ([

name = "Rufus, Wainright, Smithers, Ltd., Inc."

x = MiddleWords (name 2 3)

y = WordCount (name)

]

Right (x y)

)

What is returned?

A. , Ltd

B. Ltd.,

C. hers,

D. thers

E. Wainr

Correct Answer: A

QUESTION 2

A FileMaker Pro 11 file contains the following script: Show All Records Unsort Records Set Variable [\$counter Get(FoundCount)] Go To Record/Request/Page [First] Loop Duplicate Record/Request Go To Record/Request/Page [First] Omit Record Set Variable [\$counter Value: \$counter 1] Exit Loop If [\$counter=0] End Loop How many records will the table contain after this script is done executing, if the script begins execution in

a database table containing six records total?

A. 6

B. 12

C. 13

D. 24

E. The script will not finish executing but will loop until forcibly terminated.

Correct Answer: B



QUESTION 3

For serverhosted databases, FileMaker Server 11 Advanced is required for which three operations? (Choose three.)

- A. importing ODBC data
- B. acting as an ODBC data source
- C. sharing via Custom Web Publishing
- D. sharing via Instant Web Publishing
- E. accessing External SQL data sources
- F. sharing to more than 250 simultaneous FileMaker Pro users

Correct Answer: BDF

QUESTION 4

Which two are true about using Current Found Set as the data source for a bar chart in FileMaker Pro 11? (Choose two.)

- A. A user will generate a stacked bar chart if they specify one or more fields that contains a returndelimited list as the data series.
- B. Unless a user selects the option to Show data points for groups of records when sorted, the chart will maximally include the first 250 records (based on the sort order) of the found set.
- C. If a user selects the option to Show data points for groups of records when sorted, sorts the data, and puts the chart in a Trailing Grand Summary, the chart will display one data point per sort group.
- D. If a user selects the option to Show data points for groups of records when sorted, sorts the data by two criteria, and puts the chart in a Subsummary part based on the first sort criteria, the chart will display one data point per secondary sort group.

Correct Answer: CD

QUESTION 5

Which two statements are true about overriding the default behavior of the Quick Find box available in the Status Toolbar? (Choose two.)

- A. The Perform Quick Find custom menu item must be installed.
- B. The Show/Hide Quick Find script step will allow the user to hide the Quick Find box.
- C. The Get(QuickFindText) function will return the text entered into the Quick Find box.
- D. A Layout based script trigger can be used to override a find request issued from the Quick Find box.



Correct Answer: AC

[FM0-305 VCE Dumps](#)

[FM0-305 Exam Questions](#)

[FM0-305 Braindumps](#)