



# H12-211<sup>Q&As</sup>

HCIA-Routing & Switching V2.2

## Pass Huawei H12-211 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/h12-211.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

The network administrator uses the ping command on the AR G3 series router to test connectivity to

10.0.0.2. The following description of the output is correct. Yes(). PING 10.0.0.2: 800 data bytes, press CTRL\_C to break Reply from 10.0.0.2: bytes=800 Sequence=1 ttl=255 time=40 ms Reply from 10.0.0.2: bytes=800 Sequence=2 ttl=255 time=30 ms --- 10.0.0.2 ping statistics --- 2 packet(s) transmitted 2 packet(s) received 0.00% packet loss Round-trip min/avg/max = 30/35/40 ms

- A. The command used by the network administrator is ping -c 2 -s 800 10.0.0.2
- B. The command used by the network administrator is ping -a 2 -v 800 10.0.0.2
- C. Destination address 10.0.0.2 is unreachable
- D. The network administrator modified the default TTL value to 255.

Correct Answer: A

---

### QUESTION 2

Which of the following fields are included in an MPLS header? (Choose three.)

- A. Label
- B. TTL
- C. EXP
- D. Tos

Correct Answer: ABC

---

### QUESTION 3

In the DHCPv6 stateless autoconfiguration solution, hosts do not need to send any DHCPv6 packets.

- A. True
- B. False

Correct Answer: A

---

### QUESTION 4

Router] ip pool pool1 [Router-ip-pool-pool1] network 10.10.10.0 mask 255.255.255.0 [Router-ip-pool-pool1] gateway-list

10.10.10.1 [Router-ip-pool-pool1] quit [Router] ip pool pool2 [Router-ip-pool-pool2] network 10.20.20.0 mask 255.255.255.0 [Router-ip-pool-pool2] gateway-list



10.20.20.1 [Router-ip-pool-pool2] quit [Router] interface GigabitEthernet 0/0/1 [Router-GigabitEthernet0/0/1] ip address 10.10.10.1 24 [Router-GigabitEthernet0/0/1] dhcp select global Refer to the configuration output. Following configuration, a host is connected to the interface Gigabit Ethernet 0/0/1 of the router. Which IP address will the client obtain?

- A. An IP address from network 10.10.10.0/24 will be assigned.
- B. An IP address from network 10.20.20.0/24 will be assigned.
- C. The host will be unable to obtain an IP address.
- D. An IP address may be assigned from either 10.10.10.0/24 or 10.20.20.0/24.

Correct Answer: A

---

#### QUESTION 5

Link aggregation is a common technique in enterprise network. Which of the following description is the advantages of link aggregation? (Multiple Choice)

- A. Improves link bandwidth.
- B. Implements load sharing.
- C. Improves network reliability.
- D. Facilitates data copy for analysis.

Correct Answer: ABC

[Latest H12-211 Dumps](#)

[H12-211 VCE Dumps](#)

[H12-211 Braindumps](#)