



# HH0-210<sup>Q&As</sup>

HDS Certified Implmenter-Enterprise

## Pass Hitachi HH0-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hh0-210.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You need to install Hitachi Dynamic Link Manager (HDLM) on a Windows server.

Which documentation provides detailed information about the supported Fibre Channel HBA drivers?

- A. HDLM HBA Guide
- B. HDLM Release Notes
- C. HDLM Concepts and Planning Guide
- D. HDLM for Windows Systems User's Guide

Correct Answer: B

---

### QUESTION 2

Which three documents must be verified when planning a microcode exchange? (Choose three.)

- A. ECNs
- B. FCO Bulletins
- C. Product Alerts
- D. Maintenance Manual
- E. Microcode Exchange Reference Guide

Correct Answer: ACD

---

### QUESTION 3

What are two effects of configuring LUN security on a VSP? (Choose two.)

- A. The secured LUNs will be write protected.
- B. Un-registered Open Systems hosts cannot access the data on the secured LUNs.
- C. If LUN security is applied to a particular port, only hosts with the same operating system installed can connect to that port.
- D. If LUN security is applied to a particular port, that port can only be accessed from hosts registered within this port's Host Groups.

Correct Answer: BD

---



#### QUESTION 4

What would you use to determine the recommended amount of cache for a specific VSP configuration?

- A. HiFire
- B. SearchLight
- C. VSP Maintenance Manual
- D. HiConfig

Correct Answer: C

---

#### QUESTION 5

A customer has virtualized a USP behind a VSP.

Which two actions can be performed by Universal Volume Manager? (Choose two.)

- A. format external volumes
- B. disconnect external volumes
- C. assign internal LDEV addresses to external volumes
- D. migrate VSP volumes to the USP

Correct Answer: BC

[HH0-210 Study Guide](#)

[HH0-210 Exam Questions](#)

[HH0-210 Braindumps](#)