



# HH0-220<sup>Q&As</sup>

HDS Certified Implmenter-Modular

## Pass Hitachi HH0-220 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hh0-220.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

Which three actions should be performed when replacing parts on a Hitachi Unified Storage system? (Choose three.)

- A. Use a antistatic wrist wrap connected to the chassis.
- B. Perform a firmware upgrade to the latest MGA level.
- C. Collect and save a simple trace.
- D. Open a Clarify case with the HDS support center.
- E. Verify the system status using Web tool.

Correct Answer: ACE

---

#### QUESTION 2

A user with Storage Administration View and Management rights has logged in to a Hitachi Unified Storage system. What happens if a second user with Storage Administration View and Management rights tries to log in to the same system?

- A. The log in is allowed and both users will have storage administration rights.
- B. The log in of the second user will be refused because he has storage administration rights as well.
- C. The log in is allowed but the first user will keep the storage administration rights. The second user will be view-only.
- D. The log in is allowed and the second user will get the storage administration rights. The original user's rights are reduced to view-only.

Correct Answer: C

---

#### QUESTION 3

You are implementing a Hitachi Unified Storage File Module cluster with a single SMU. How do you run the smu-config script?

- A. Connect an Ethernet cable and login as supervisor.
- B. Connect a serial null-modem cable and login as supervisor.
- C. Connect an Ethernet cable and login as root.
- D. Connect a serial null-modem cable and login as root.

Correct Answer: D

---

#### QUESTION 4



---

Which two statements accurately describe the Program Product functions available on Hitachi Unified Storage (HUS) systems? (Choose two.)

- A. LUN resizing is a basic function in SNM2 and does not require a separate license key.
- B. The Tray Power Saving function does require a separate license key.
- C. Restricting access to a HUS Command Device is possible using Account Authentication.
- D. Hitachi Dynamic Link Manager is used to control the HUS active/active controller feature.

Correct Answer: AB

---

#### QUESTION 5

What must be installed on an AIX server prior to Hitachi Dynamic Link Manager Installation?

- A. MPXIO
- B. HACMP
- C. HTnM agent
- D. Hitachi ODM

Correct Answer: D

[HH0-220 VCE Dumps](#)

[HH0-220 Study Guide](#)

[HH0-220 Braindumps](#)