



HH0-220^{Q&As}

HDS Certified Implmenter-Modular

Pass Hitachi HH0-220 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hh0-220.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer plans to start using Cache Partition Manager (CPM) on a Hitachi Unified Storage system. Which two statements regarding the installation and configuration of this Program Product are correct? (Choose two.)

- A. Configuring CPM requires a reboot.
- B. Adding the CPM license key requires a reboot.
- C. Installation and configuration of CPM can be done online.
- D. Adding the CPM license key does not require rebooting the system.

Correct Answer: AD

QUESTION 2

What are two ways to restrict access to storage through a Fabric? (Choose two.)

- A. Use SNMP
- B. Use zoning
- C. Use Host Group security
- D. Useport security on the switch(es)

Correct Answer: BC

QUESTION 3

A customer would like to deploy a clustered File Module option on their Hitachi Unified Storage system. What is a valid connection for the cluster interconnect?

- A. 1Gb Ethernet
- B. 16Gb Fibre Channel
- C. 10Gb Ethernet
- D. 8Gb Fibre Channel

Correct Answer: C

QUESTION 4

Which two statements relating to Storage Navigator Modular 2 (SNM2) are correct? (Choose two.)

- A. SNM2 issues SNMP alerts for failed components within the system.



-
- B. SNM2 allows you to change the IP address and port number used to communicate with the system.
- C. SNM2 uses out-of-band communication to administer the system and in-band communication to manage replication.
- D. SNM2 can be used to define the Command Devices and the Differential Management LUNs needed by replication software.

Correct Answer: BD

QUESTION 5

Which pair of IP addresses is assigned to the Hitachi Unified Storage system maintenance LAN ports by default?

- A. 10.0.0.16 and 10.0.0.17
- B. 10.1.1.16 and 10.1.1.17
- C. 192.168.0.16 and 192.168.0.17
- D. 192.168.1.16 and 192.168.1.17

Correct Answer: A

[HH0-220 PDF Dumps](#)

[HH0-220 VCE Dumps](#)

[HH0-220 Braindumps](#)