

HH0-220^{Q&As}

HDS Certified Implmenter-Modular

Pass Hitachi HH0-220 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/hh0-220.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/hh0-220.html

2024 Latest geekcert HH0-220 PDF and VCE dumps Download

QUESTION 1

What are two ways to register a new Hitachi Unified Storage system with Storage Navigator Modular 2? (Choose two.)

- A. SNM2 can scan a range of IP addresses.
- B. SNM2 can import a .CSV file containing IP addresses.
- C. The controller IP addresses can be entered into SNM2.
- D. SNM2 automatically detects connected arrays using UDP broadcasts.

Correct Answer: AC

QUESTION 2

What are two effects of persistent binding? (Choose two.)

- A. Persistent binding can speed up path failover.
- B. Persistent binding guarantees Command Device security.
- C. Persistent binding can speed up the server boot process.
- D. Persistent binding guarantees that target assignments are preserved between reboots.

Correct Answer: CD

QUESTION 3

A storage administrator would like to connect 10 hosts into the same FC ports of a Hitachi Unified Storage system. They are concerned that one host with high I/Os will impact the other hosts on the same FC ports. Which HBA parameter should be set to limit the number of outstanding I/Os on each host?

- A. queue depth
- B. command length
- C. command depth
- D. queue length

Correct Answer: A

QUESTION 4

A customer wants to migrate data between two Hitachi Unified Storage systems using TrueCopy. What are two requirements? (Choose two.)



https://www.geekcert.com/hh0-220.html

2024 Latest geekcert HH0-220 PDF and VCE dumps Download

- A. The DM-LU must be greater than 10GB.
- B. There must be FC connectivity between the arrays.
- C. The P-Vol and S-Vol size must be equal.
- D. A Command Device must be created.

Correct Answer: AC

QUESTION 5

Which three parameters must be set when adding a Cache Partition on a Hitachi Unified Storage system? (Choose three.)

- A. Controller
- B. Raid Group
- C. Cache Size
- D. Segment Size
- E. Logical Unit

Correct Answer: ACD

Latest HH0-220 Dumps

HH0-220 PDF Dumps

HH0-220 Practice Test