



HH0-220^{Q&As}

HDS Certified Implmenter-Modular





Pass Hitachi HH0-220 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hh0-220.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

On which level can Host Group Security be enabled on a Hitachi Unified Storage system?

- A. the FC port level
- B. the Host Group level
- C. the iSCSI port level
- D. the individual LU level

Correct Answer: A

QUESTION 2

A customer wants to migrate their data from an existing AMS2500 to a newly acquired Hitachi Unified Storage (HUS) system using TrueCopy Extended Distance (TCE) software. Which set of components is required on the HUS to configure TCE?

- A. Journal Volumes and a TCE license
- B. an HDP license and 50% more cache capacity
- C. an HDP License and a TCE license
- D. a Cache Memory adapter and a TCE license

Correct Answer: C

QUESTION 3

What are two functions that can be done using the Storage Navigator Modular 2 Logical Unit wizard on a Hitachi Unified Storage system? (Choose two.)

- A. Create multiple LUs.
- B. Create a new RAID Group.
- C. Enable Host Group Security.
- D. Select SATA II drives for LU creation.

Correct Answer: AB

QUESTION 4

When performing an initial installation of a Hitachi Unified Storage system, which management tool must be used to set the date and time?



- A. Web Tool
- B. RAID Manager/CCI
- C. Hitachi Command Suite
- D. Storage Navigator Modular 2

Correct Answer: D

QUESTION 5

A customer wants to create a multi-path environment for a specific Redhat Linux application on a Hitachi Unified Storage system. They have created Host Groups on all of the available ports and mapped the logical units accordingly. Which two multi- pathing options can be used for active/active connectivity? (Choose two.)

- A. Device Mapper
- B. Multipath I/O (MPIO)
- C. Hitachi Dynamic Link Manager
- D. Multiplexed I/O (MPxIO)

Correct Answer: AC

[HH0-220 PDF Dumps](#)

[HH0-220 VCE Dumps](#)

[HH0-220 Practice Test](#)