



HH0-450^{Q&As}

Hitachi Data Systems Storage Architect-Hitachi NAS Platform

Pass Hitachi HH0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hh0-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer with a Hitachi NAS Platform connected to a production Hitachi USP V requires a Recovery Point Objective (RPO) of 20 minutes or less for their replicated data. Each of their four file systems has a minimum of 20 TB of data and 50 million files. Each file system has a heavy change rate. Which three replication products meet the customer's RPO? (Choose three.)

- A. Hitachi Universal Replicator
- B. TrueCopy
- C. Intelligent Data Replication
- D. Incremental Block Replication
- E. ShadowImage

Correct Answer: ABE

QUESTION 2

A customer uses a Hitachi NAS Platform integrated into a Windows Active Directory infrastructure. Data is accessed using both CIFS and NFS protocols. UNIX security attributes must be maintained when the data is accessed via CIFS or NFS. What should be done?

- A. Enable EVS security.
- B. Set the file system mode to Mixed (Windows and UNIX).
- C. Set the virtual volume security mode to UNIX (supports Windows).
- D. Set the file system mode to UNIX (supports Windows).

Correct Answer: D

QUESTION 3

A customer has asked you to plan a server migration from their existing Microsoft Windows storage server cluster to their Hitachi NAS platform. The customer requires that namespace be preserved so that the migration is transparent to their end-users. Which three actions will achieve the desired result? (Choose three.)

- A. Use CNAME records to preserve UNC paths on cut-over.
- B. Move the IP addresses to the EVSs from the original source server.
- C. Rename the EVS CIFS server name to the original source server name on cut-over.
- D. Change the UNC path in the logon scripts to point to the new server names given to the EVS CIFS server instances.
- E. Use DFS and link both the EVS CIFS server instances and the original servers to the same context.



Correct Answer: ACD

QUESTION 4

A customer has a Hitachi AMS2100 attached to a 2-node Hitachi NAS Platform 3090 cluster. They initially purchased 15 TB and have just purchased an additional 5 TB. They now need to expand their existing storage pools. What must be considered when expanding the storage pools?

- A. All system drives must be of the same size in terms of capacity.
- B. All system drives must be offline.
- C. All system drives must be in the same system drive group.
- D. All storage pools must be offline.

Correct Answer: A

QUESTION 5

Which Hitachi NAS object-based replication element is embedded within the Windows OS as part of the Microsoft VSS backup framework?

- A. VSS Provider
- B. VSS Requestor
- C. VSS Writer
- D. VSS Service

Correct Answer: D

[HH0-450 PDF Dumps](#)

[HH0-450 Study Guide](#)

[HH0-450 Exam Questions](#)