



HP0-J63^{Q&As}

Designing HP Backup Solutions

Pass HP HP0-J63 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp0-j63.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer needs an enterprise backup system that will provide both VTL and NAS emulation with both scale-out and scale-up performance. The solution must offer a high level of redundancy and automated backup restart after failover. Which storage solution should the customer deploy?

- A. HP StoreEver VLS9200 Virtual Library
- B. HP StoreOnce D2D2502 Backup System
- C. HP StoreEver RDX Removable Disk Backup
- D. HP StoreOnce B6200 Backup System

Correct Answer: D

QUESTION 2

Which value should you include in the financial presentation to the customer?

- A. return on investment (ROI)
- B. Converged Infrastructure Maturity Model (CI-MM) stage
- C. net present value (NPV)
- D. total cost ownership (TCO)

Correct Answer: A

QUESTION 3

A storage administrator is running SAN monitoring software on a server other than the backup server. The software is interfering with scheduled backups in the company's tape library. Which action should the administrator take to minimize interference with the operation of the tape devices?

- A. Install the minimum patch-level support for the monitoring software.
- B. Enable the use of SCSI reserve and release.
- C. Modify the kernel tunable parameter vx_ninode.
- D. Implement single initiator zoning.

Correct Answer: D

Enable the use of SCSI reserve and release is for protection error human with tape, not interfering schedule backups with SAN monitoring SCSI reserve or release A device-level protection that is used by Enterprise Media Manager (EMM) to avoid unintended sharing of tape devices and possible data loss problems.

http://www.symantec.com/security_response/glossary/define.jsp?letter=s&word=scsi-reserve-or-release



QUESTION 4

A customer plans to use an HP Enterprise Backup Solution in a point-to-point configuration. What should the customer use to attach the tape device to the backup server? (Select two.)

- A. Serial-attached SCSI (SAS)
- B. Fibre Channel
- C. SATA
- D. 10 Gb Ethernet
- E. USB

Correct Answer: AB

Fibre Channel is FAD (fibre channel attach-direct)

QUESTION 5

A Customer performs full disk-based backups every night. Recently, the backup job has continued to run during business hours, which negatively affects performance.

Which types of backup should the customer include in a complete backup strategy to minimize the backup window and to provide maximum data protection? (Select two)

- A. differential backup, weekly
- B. incremental backup, weekly
- C. full backup, weekly
- D. incremental backup, nightly
- E. differential backup, nightly

Correct Answer: CD

[HP0-J63 Practice Test](#)

[HP0-J63 Study Guide](#)

[HP0-J63 Exam Questions](#)