



# HP0-J65<sup>Q&As</sup>

Designing HP SAN Networking Solutions

**Pass HP HP0-J65 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp0-j65.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which three can affect SAN performance? (Choose three.)

- A. operating systems of hosts in the SAN
- B. fibre cable modes
- C. Fibre Channel HBAs
- D. SAN traffic
- E. SAN topology

Correct Answer: CDE

---

### QUESTION 2

Which feature must be supported in the Brocade 4GB SAN Switch for the HP c-Class BladeSystem to support port aggregation using N\_Port\_ID virtualization (NPIV) in the blade server environment?

- A. Blade Aggregation Operations mode
- B. Virtual WWN support by the Onboard Administrator
- C. Access Gateway mode
- D. Virtual Connect Addressing mode
- E. N\_Port Uplink Virtualization mode

Correct Answer: C

---

### QUESTION 3

The HP SAN design philosophy meets a range of storage system requirement. What does it provides? (Select two)

- A. incremental scaling
- B. a comprehensive list of compatible products
- C. a migration methodology
- D. a way to implement HP technology
- E. greater flexibility

Correct Answer: AE

---



#### QUESTION 4

What is the function of the HBA in an HP heterogeneous SAN?

- A. allows a server to communicate with other fabrics
- B. provides a direct fiber interconnect between the server and the storage system
- C. allows a server to communicate with other SAN devices
- D. provides a direct SCSI interconnect between the server and the Fibre Channel switch

Correct Answer: C

---

#### QUESTION 5

What should you do to give multiple servers exclusive access to units on a storage subsystem in a SAN?

- A. Zone the fabric.
- B. Set the operating system type on the connections.
- C. Set up LUN masking on each unit to the appropriate host(s).
- D. Set unit offsets on each connection.

Correct Answer: C

[HP0-J65 PDF Dumps](#)

[HP0-J65 Practice Test](#)

[HP0-J65 Exam Questions](#)