



HP0-J67^{Q&As}

Architecting Multi-site HP Storage Solutions

Pass HP HP0-J67 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp0-j67.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which HP 3PAR StoreServ features help you meet IT improvement goals? (Select two.)

- A. Persistence Ports
- B. Thin Provisioning
- C. Virtual Domains
- D. Virtual Lock
- E. Virtual Copy

Correct Answer: AB

QUESTION 2

During an HP customer assessment workshop, the Alinean report shown in the exhibit is created. Which cost saving should you highlight in your presentation when positioning the value of HP 3PAR StoreServ Thin Technologies?

| Three year TCO Current (As-Is) Vs. New HP 3PAR New HP 3PAR | | Details | Existing | HP - 3PAR | Alternate Solution | Savings: HP 3PAR Vs. Existing |
|--|--|---------|------------|-----------|--------------------|-------------------------------|
| <input checked="" type="checkbox"/> | Hardware Cost | Details | 16.527€ | 54.749€ | 110.110€ | (38.222€) |
| <input checked="" type="checkbox"/> | Software Cost | Details | 115.387€ | 23.690€ | 33.242€ | 91.696€ |
| <input checked="" type="checkbox"/> | Service and Support Cost | Details | 434.403€ | 22.746€ | 40.263€ | 411.656€ |
| <input checked="" type="checkbox"/> | Total Capacity Cost | Details | 248.215€ | 72.613€ | 101.187€ | 175.602€ |
| <input checked="" type="checkbox"/> | Incremental Infrastructure Cost | Details | 7.323€ | 0€ | 7.323€ | 7.323€ |
| <input checked="" type="checkbox"/> | Storage Administration and Management Cost | Details | 211.132€ | 21.113€ | 116.123€ | 190.019€ |
| <input checked="" type="checkbox"/> | Other Services (Professional, Consulting etc.) | Details | 0€ | 0€ | 0€ | 0€ |
| <input checked="" type="checkbox"/> | Power and Cooling Costs | Details | 63.118€ | 20.300€ | 65.464€ | 42.817€ |
| <input checked="" type="checkbox"/> | Data Centre Floor Space Cost | Details | 10.328€ | 1.661€ | 3.477€ | 8.667€ |
| <input checked="" type="checkbox"/> | Implementation Cost | | 0€ | 8.534€ | 11.933€ | (8.534€) |
| <input checked="" type="checkbox"/> | Cost Of Unplanned Downtime (High Availability) | Details | 81.282€ | 837€ | 40.641€ | 80.445€ |
| <input checked="" type="checkbox"/> | Cost Of Planned Downtime (Maintenance, Upgrades) | Details | 29.767€ | 0€ | 29.767€ | 29.767€ |
| <input checked="" type="checkbox"/> | Time To Solution (PO, Create New Environments) | Details | 26.801€ | 3.350€ | 20.101€ | 23.451€ |
| <input checked="" type="checkbox"/> | Application Integration (e.g. VMWare, Oracle...) | Details | 28.605€ | 22.884€ | 25.744€ | 5.721€ |
| Total | | | 1,272.886€ | 252.479€ | 605.373€ | 1,020.406€ |

- A. Planned downtime
- B. Unplanned downtime
- C. Application integration
- D. Power and cooling

Correct Answer: A

QUESTION 3

You are designing a storage solution for a customer concerned about storage availability during code upgrades. Which HP 3PAR Port Persistence node identity handles host I/O requests, thus providing greater resiliency during code



upgrades?

- A. Guest
- B. Master
- C. Slave
- D. Native

Correct Answer: A

Persistent Ports

This is a really cool feature as well - it gives the ability to provide redundant connectivity to multiple controllers on a 3PAR array without having to have host-based multipathing software. How is this possible? Basically it is NPIV for the array.


Peer controllers can assume the world wide names for the ports on their partner controller.

If a controller goes down, it's peer assumes the identities of that controller's ports, instantaneously providing connectivity for hosts that were (not directly) connected to the ports on the downed controller. This eliminates pauses for MPIO

software to detect faults and fail over, and generally makes life a better place.

Normal state

All paths online using
Node 0 Native ports
Node 1 Native ports






Failover state

All paths online using

Node 0 Guest ports

Node 1 Native ports



QUESTION 4

A customer is building a new data center. They want to implement a free cooling strategy in order to reduce their Computer Room Air Handling (CRAH) costs, while increasing their rack density.

Which free cooling methods meet the customer requirements? (Select two.)

- A. Water-side economization
- B. Air-side economization
- C. Cold-aisle containment
- D. Closed-loop containment
- E. Hot-aisle containment

Correct Answer: AB

p4, topic "free

<http://h20000.www2.hp.com/bc/docs/support/SupportManual/c02507744/c02507744.pdf> cooling strategies"

QUESTION 5

Refer to the scenario.

A large publicly-traded motion picture exhibitor that is a leader in digital and 3D cinema deployments operates 233



theaters and more than 2,200 screens in small to mid-sized communities in 35 states around the United States. They rely on

MS Exchange Server 2010 for email. MS SQL Server 2010 for analyzing data about movies and theater-goers, and MS Excel 2010 for crunching numbers.

The company runs nightly incremental backups and a full weekly backup that consists of close to 7 TB of data which takes up 72 hours to complete. The quarterly backups add an additional 7 TB of data. Tapes are inventoried and transported

from the main data center to the disaster recovery site 150 miles away. The process of transporting tape cartridges to and from the Disaster Recovery site requires hours of daily work.

The company currently relies on an aging robotic tape library and a process that takes the nightly backup tapes offsite every morning. Additionally, the company keeps an inventory, and if a restore is necessary they have to retrieve the tapes

from the DR site and transport them to the main data center site. They have a 7 year data retention plan, and the tapes are expensive and not always reliable. Given the company's current system, if a full weekly backup fails over a weekend,

the re-run could take up to 10 hours, even if just one job failed.

The company has deployed a virtualized server infrastructure which runs VMware vSphere 5 on HP BladeSystem c7000 enclosures and BL460c servers interconnected with HP Virtual Connect Flex-10 10Gb Ethernet Modules as well as several HP ProLiant DL380 servers. The company's top four IT improvements goals are as follows:

- replacing the aging robotic tape library
- enabling replication of backed up data from the main data center to the disaster recovery site (150 miles)
- retaining more backup data in smaller disk space
- increasing efficiency, reliability, and ease of system administration

Moreover, the company's top three business benefit goals are as follows:

- increased confidence in disaster recovery
- minimal disruption by backups during regular business hours
- improved management of external audits

The company has asked that you create multiple solution proposals and prioritize one when you return for a presentation.

During a design workshop, you become aware that the customer is adding a number of application servers into the virtualized environment to be included in the backup environment. What is the minimum number of stores you need to create in order to achieve optimal deduplication performance?

- A. 1
- B. 3
- C. 4
- D. 8



VCE & PDF

GeekCert.com

<https://www.geekcert.com/hp0-j67.html>

2024 Latest geekcert HP0-J67 PDF and VCE dumps Download

Correct Answer: B

[HP0-J67 VCE Dumps](#)

[HP0-J67 Practice Test](#)

[HP0-J67 Braindumps](#)