



HP0-M44^{Q&As}

HP SiteScope 11.x Software

Pass HP HP0-M44 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp0-m44.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is "agent-less" monitoring?

- A. monitoring done by Real User Monitor Probes
- B. monitoring without using a client-side agent installed on the remote host
- C. monitoring using pass-through authentication
- D. monitoring done by Business Process Monitors

Correct Answer: B

QUESTION 2

How do you activate and deactivate the "Quick Help" feature?

- A. Click on the "Page Options" UI Element on the Common Toolbar and select "Quick Help".
- B. Select "Quick Help" in the "Help" combo list on the Common Toolbar.
- C. Click the Quick Help button in the specific page or dialog box.
- D. Select Tools context > Help Tools > Quick Help (you must have Use tools permissions).
- E. Edit the /conf/ui.config file and change the value of the act_quick_help parameter to Y or N, respectively.

Correct Answer: C

QUESTION 3

How can you set Windows domain privileges for SiteScope Monitoring (Windows platform)? (Select three.)

- A. Add the server where SiteScope is running to the Domain Admin group in Active Directory.
- B. Set the SiteScope service to run as a user in the Domain Admin group.
- C. Set the SiteScope service to run as a Local System account.
- D. Edit the registry access permissions for all machines in the domain to allow non-admin access.
- E. Add the server where SiteScope is running to the User Access Control group in Active Directory.
- F. Edit the registry access permissions for the Domain Controller to allow non-admin access.

Correct Answer: ABD

QUESTION 4



An application owner complains about receiving alerts for a problem considered intermediate in nature and requests that they be shown a failed status if a problem occurs more than once. How can you configure a monitor to do this? (Select two.)

- A. Change the monitor setting to Verify error.
- B. Restart the SiteScope to clear the errant alert.
- C. Configure the alert to start only if an error occurs twice in a row.
- D. Set up the monitor to run a script instead of sending emails.
- E. Set up the monitor to send SMS instead of emails.

Correct Answer: AC

QUESTION 5

What can SiteScope monitor? (Select three.)

- A. mobile phone devices
- B. network devices
- C. server temperature
- D. AppleTalk protocols
- E. web-based applications
- F. unmanaged switches

Correct Answer: BCE

[HP0-M44 PDF Dumps](#)

[HP0-M44 Practice Test](#)

[HP0-M44 Study Guide](#)