



HP0-Y46^{Q&As}

Implementing HP Network Technologies

Pass HP HP0-Y46 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/HP0-Y46.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the HP Comware configuration.

```
interface vlan 1
 ip address 10.1.1.1 255.255.255.0
 quit
interface vlan 2
 ip address 10.1.2.1 255.255.255.0
 quit
interface loopback 1
 ip address 1.1.1.1 255.255.255.255
 quit
router-id 10.1.1.1
 area 0
  network 1.0.0.0 0.255.255.255
  network 10.1.1.0 0.255.255.255
```

The network administrator set up VLAN 2 as a management VLAN. This VLAN should not be included in the OSPF routing process. Now only directly connected network administrators in VLAN2 can manage the switch. How should the network administrator solve this problem?

- A. Define the management-vlan 2 command.
- B. Define the VLAN 2 interface as a silent interface.
- C. Change the network command in OSPF.
- D. Define the ip authorized-managers 10.1.0.0/24 command.

Correct Answer: A

QUESTION 2

A network administrator views this message on the console of an HP Comware switch:

```
%Apr 29 13:22:54:969 2012 Comware-2 RM/3/RMLOG:OSPF-NBRCHANGE: Process 1, Neighbor  
10.1.100.1(Vlan-interface100) from Loading to Full
```

What is the significance of this message?

- A. The switch has shared routes with the DR
- B. The switch has become the BDR
- C. The switch has received routes from a DROTHER



D. The switch has become the DR

Correct Answer: B

QUESTION 3

A network administrator receives a new HP Provision switch and notices that the software version running on the switch is older than what is currently used in the network. The network administrator copies an updated version of the operating system from the new switch's USB port to the secondary flash location. The network administrator then executes the following command:

```
ProVision # boot system flash secondary
```

The switch reboots using the new operating system. However, when the network administrator turns off the switch and turns it back on, the switch boots from the old operating system. Which solution should the network administrator use to fix the problem?

- A. Execute the startup-default secondary command.
- B. Execute the boot-loader file command.
- C. Execute the boot set-default flash secondary command.
- D. Boot into the switch's Monitor ROM Console and perform the upgrade a second time.
- E. Execute the startup-boot secondary command

Correct Answer: C

QUESTION 4


Which trends of today's data networks is the HP FlexNetwork Architecture designed to meet? (Select two.)

- A. East-west traffic
- B. Intelligent Resilient Framework
- C. North-south traffic flows
- D. Service decentralization
- E. Virtualization

Correct Answer: BE

QUESTION 5

Refer to the network exhibit.



A network administrator needs to configure DHCP on an HP Comware switch. The network administrator configures the following information:

```
[SwitchA] interface vlan-interface 1  
[SwitchA-Vlan-interface1] dhcp select relay  
[SwitchA-Vlan-interface1] dhcp relay server-select
```

After setting up DHCP relay, the network administrator has the DHCP client try to acquire addressing information, but the process fails. What should the network administrator do to solve this problem?

- A. Configure DHCP relay on SwitchB.
- B. Execute the routing command on SwitchA.
- C. Execute the dhcp enable command on SwitchA.
- D. Enable DHCP Snooping on SwitchA.

Correct Answer: C

[Latest HP0-Y46 Dumps](#)

[HP0-Y46 PDF Dumps](#)

[HP0-Y46 Practice Test](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.