



# HP2-T23<sup>Q&As</sup>

Supporting Industry Standard Server Solutions

**Pass HP HP2-T23 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp2-t23.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which HP tool is used to configure NIC teaming on a Windows server?

- A. ORCA
- B. Insight Control
- C. PCM+
- D. RBSU

Correct Answer: B

---

### QUESTION 2

What happens if you lose or misplace a Trusted Platform Module (TPM) key?

- A. The system requests the Administrator password.
- B. The system enters diagnostic mode.
- C. The system will not boot.
- D. Data loss might occur.

Correct Answer: D

---

### QUESTION 3

An engineer is installing an HP R7000 UPS and an Extended Runtime Module (ERM) in an existing HP 10642 G2 rack. This rack contains 10 ProLiant DL380e Gen8 servers mounted from 1U upward.

How should the engineer perform this installation?

- A. Mount the R7000 UPS at 10U in the 10642 G2 rack with the ERM on top of the R7000 UPS.
- B. Remove the lowest ProLiant DL380e Gen8 servers and mount the R7000 and the ERM at the lowest position in the rack. Mount the removed ProLiant DL380e Gen8 servers at a higher position in the 10642 G2 rack.
- C. Mount the R7000 at the highest position possible in the 10642 G2 rack with the ERM just below the UPS.
- D. Remove the two lowest mounted ProLiant DL380e Gen8 servers and mount the R7000 at the bottom of the 10642 G2 rack. Mount the two removed ProLiant DL380e Gen8 servers at the top of the 10642 G2 rack. Mount the ERM above the remaining original mounted ProLiant DL380e Gen8 servers.

Correct Answer: B

---

### QUESTION 4



Which memory configuration types are supported in the ProLiant Gen8 server blades? (Select two.)

- A. SDIMM
- B. SODIMM
- C. UDIMM
- D. RDIMM
- E. DDR3

Correct Answer: CD

---

#### QUESTION 5

What are two standard features of the HP Modular Cooling System G2? (Select two.)

- A. Phone-home capability of a failing component
- B. Non hot-swappable high-airflow fans
- C. Support for two racks simultaneously
- D. Use of bi-directional cooling

Correct Answer: CD

[HP2-T23 VCE Dumps](#)

[HP2-T23 Exam Questions](#)

[HP2-T23 Braindumps](#)