



HP2-T26^{Q&As}

Servicing HP BladeSystem Solutions

Pass HP HP2-T26 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp2-t26.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Click the area of the graphic where you can view real time diagnostic error information.

Hot Area:

The screenshot shows the HP Insight Diagnostics web interface. At the top is the HP logo and the title 'HP Insight Diagnostics'. Below this is a navigation bar with buttons for 'Survey', 'Diagnose', 'Status', 'Log', and 'Help'. The 'Survey' button is highlighted. The main content area is titled 'System Survey' and has two tabs: 'Current Configuration' (selected) and 'Compare Configurations'. Below the tabs are two dropdown menus: 'View Level' set to 'Summary' and 'Categories' set to 'Overview'. The main display area shows system information in a table-like format.

System	
Product Name	ProLiant BL480c G1
Serial Number	NP6CMU0200
Processor Package 1 (Socket 1, Core = 1)	Intel Xeon Processor @ 3.20 GHz
Processor Package 2 (Socket 2, Core = 1)	Intel Xeon Processor @ 3.20 GHz
Operating system environment	Microsoft(R) Windows(R) Server 2003,
Total memory - 2048 Mbytes	
Board 0	
DIMM 1A (DDR2-FBD)	1024 Mbytes (667 MHz)
DIMM 2C	Not Installed
DIMM 3E	Not Installed
DIMM 4A (DDR2-FBD)	1024 Mbytes (667 MHz)

Hot Area:



HP Insight Diagnostics

[Survey](#)[Diagnostic](#)[Status](#)[Log](#)[Help](#)

System Survey

[Current Configuration](#)[Compare Configurations](#)

View Level:

[Summary](#)

Categories:

[Overview](#)

System

Product Name	ProLiant BL480c G1
Serial Number	NP6CMU0200
Processor Package 1 (Socket 1, Core = 1)	Intel Xeon Processor @ 3.20 GHz
Processor Package 2 (Socket 2, Core = 1)	Intel Xeon Processor @ 3.20 GHz
Operating system environment	Microsoft(R) Windows(R) Server 2003,

Total memory - 2048 Mbytes

Board 0

DIMM 1A (DDR2-FBD)	1024 Mbytes (667 MHz)
DIMM 2C	Not installed
DIMM 3E	Not installed
DIMM 4A (DDR2-FBD)	1024 Mbytes (667 MHz)

Correct Answer:



The screenshot shows the HP Insight Diagnostics interface. At the top is the HP logo and the title 'HP Insight Diagnostics'. Below this is a navigation bar with buttons for 'Survey', 'Diagnose', 'Status', 'Log', and 'Help'. The 'Survey' section is active, showing a 'System Survey' with tabs for 'Current Configuration' and 'Compare Configurations'. Below the tabs are dropdown menus for 'View Level' (set to 'Summary') and 'Categories' (set to 'Overview'). The main content area displays system information in a table format.

System	
Product Name	ProLiant BL480c G1
Serial Number	NP6CMU0200
Processor Package 1 (Socket 1, Core = 1)	Intel Xeon Processor @ 3.20 GHz
Processor Package 2 (Socket 2, Core = 1)	Intel Xeon Processor @ 3.20 GHz
Operating system environment	Microsoft(R) Windows(R) Server 2003,
Total memory - 2048 Mbytes	
Board 0	
DIMM 1A (DDR2-FBD)	1024 Mbytes (667 MHz)
DIMM 2C	Not installed
DIMM 3E	Not installed
DIMM 4A (DDR2-FBD)	1024 Mbytes (667 MHz)

QUESTION 2

A system engineer wants to replace the c3000 BladeSystem Insight Display. What must be done before the engineer can remove it? (Select two.)

- A. The server blade must be removed from the bay.
- B. Onboard Administrator link module must be removed.
- C. The Insight Display data cable must be disconnected.
- D. The Onboard Administrator tray must be removed.
- E. The enclosure cover to access Insight Display must be removed.

Correct Answer: CD

QUESTION 3

When you try and boot a previously installed operating system, a BL495c G6 Server Blade freezes. What is the first step



you should take when troubleshooting this problem?

- A. Load and try to boot the latest SmartStart CD.
- B. Use iLO to access the Integrated Management Log (IML) of the failing server blade.
- C. Load and try to run the HP Insight Diagnostics Online Edition.
- D. Use iLO to access the enclosure Onboard Administrator.

Correct Answer: B

QUESTION 4

Which HP Insight Diagnostics log displays POST errors?

- A. Test Log
- B. Error Log
- C. Integrated Management Log (IML)
- D. Sys Log

Correct Answer: C

QUESTION 5

Click on the component that provides remote enclosure management in c-Class enclosures.

Hot Area:



Hot Area:



Correct Answer:





c7000 Onboard Administrator with KVM



c3000 Onboard Administrator

c3000 Onboard Administrator
Tray/Insight Display

The Onboard Administrator can be managed locally, remotely, and through HP SIM tools. The Onboard Administrator also provides local and remote management capability through the Insight Display and browser access.

[HP2-T26 VCE Dumps](#)

[HP2-T26 Study Guide](#)

[HP2-T26 Exam Questions](#)