



HP2-W100^{Q&As}

HP TippingPoint Next Generation Firewall Security Products
Professional

Pass HP HP2-W100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hp2-w100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Under which circumstance can traffic pass between security zones?

- A. Traffic can always pass between security zones.
- B. When an explicit policy allowing traffic between security zones is defined.
- C. When you create application groups.
- D. By default, traffic can pass between security zones.

Correct Answer: B

QUESTION 2

Which statements accurately describe a broadcast domain? (Select two.)

- A. Broadcast domains require a gateway device such as a router.
- B. Broadcast domains consist of devices reachable by frames addressed to the Layer 2 broadcast address.
- C. Broadcast domains require that the participating devices connect to hubs.
- D. Broadcast domains require that the participating devices connect to common switches.
- E. Broadcast domains consist of devices that reside on the same VLAN.

Correct Answer: BE

QUESTION 3

Due to security issues, the company HR website needs to function on non-standard port 272.

Where this should be configured in the LSM?

- A. On the Firewall > Services > Policy, check the box next to http, then click Edit. Add 272 to the service, click OK and then Commit Changes.
- B. On the Firewall > Policy > Services, check the box next to https, then click Edit. Add 272 to the service, click OK and then Commit Changes.
- C. On the Firewall > Policy > Services, check the box next to http, then click Edit. Add 80 to the service, click OK and then Commit Changes.
- D. On the Firewall > Policy > Services, check the box next to http, then click Edit. Add 272 to the service, click OK and then Commit Changes.

Correct Answer: B



QUESTION 4

What must be done before configuring firewall rules and inspection filters?

- A. Creating Application Groups
- B. Authenticating servers
- C. Setting up Security Zones
- D. Implementing directional-based policies

Correct Answer: C

QUESTION 5

Which CLI command can be used to show how much traffic is entering the inspection engine from all segments?

- A. show np tier-stats
- B. show np statistics
- C. show np details
- D. show np traffic

Correct Answer: A

[HP2-W100 Practice Test](#)

[HP2-W100 Study Guide](#)

[HP2-W100 Exam Questions](#)