

# **HP2-Z30**<sup>Q&As</sup>

Fast Track - Applying HP FlexNetwork Fundamentals

### Pass HP HP2-Z30 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/hp2-z30.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## VCE & PDF GeekCert.com

https://www.geekcert.com/hp2-z30.html 2024 Latest geekcert HP2-Z30 PDF and VCE dumps Download

#### **QUESTION 1**

Which configuration tool do HP Provision switches support that HP Comware switches do not support?
A. menu system
B. auto configuration tool
C. web-based
D. SNMP
Correct Answer: C
QUESTION 2
A network administrator has set up a link between two HP ProVision switches. Both switches have an IP address in VLAN 1 and can ping each other in VLAN 1. The network administrator then creates VLAN 2 and tags it to same link of both switches.
How can the network administrator verify that connectivity in VLAN2 is functional between the twoswitches?
A. Assign each switch an IP address in VLAN 2 and use LLDP to test connectivity.
B. Use either LLDP or ARP to test connectivity
C. Assign each switch an ip address in VLAN 2, and use ICMP or LLDP to test connectivity
D. Assign each switch an IP address in VLAN 2, and use ICMP to test connectivity
E. Use LLDP to test connectivity
Correct Answer: C
QUESTION 3
Which VLAN port type is only supported by HP Comware switches?
A. access

### Correct Answer: D

B. voice

C. trunk

D. hybrid



### https://www.geekcert.com/hp2-z30.html 2024 Latest geekcert HP2-Z30 PDF and VCE dumps Download

Which component of an HP Comware switch controls logging on to a syslog server?

- A. Log Parser
- B. Event Analyzer
- C. Information Center
- D. Event Log

Correct Answer: C

#### **QUESTION 5**

What are the correct factory default settings when the HP Comware and Provision switches are originally booted?

- A. Provision and Comware switches have Telnet enabled.
- B. Provision and Comware switches have all Layer 2 interfaces disabled.
- C. Provision and Comware switches have default passwords defined.
- D. Provision and Comware switches have Layer 3 switching disabled.

Correct Answer: D

HP2-Z30 PDF Dumps

HP2-Z30 VCE Dumps

**HP2-Z30 Exam Questions**