



I10-001^{Q&As}

XML Master Basic V2

Pass XML Master I10-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/i10-001.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by XML Master
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Press the Exhibit button to view the XML document "a. xml" and apply XSLT stylesheet "b. xsl" to "a. xml". Select which of the following correctly describes the transformation results.

- A. Local_Area_Connection
- B. Local_Area_ConnectionSMTPAdministrator
- C. 2004/07/07Local_Area_ConnectionCurrently_ProcessingSMTPAdministrator
- D. Nothing is outputW Courier Newlr Z

Correct Answer: B

QUESTION 2

Press the Exhibit button to view the XML document "a. xml" and apply XSLT stylesheet "b. xsl" to "a. xml" and output the "SMTP" in the content of the service element as the transformation result. Select which of the following correctly describes what belongs in (1) of the XSLT stylesheet.

- A. /security/detail/service
- B. /security/detail[position()=1]/service
- C. /security/detail[not(position()=last())]/service
- D. /security/detail[1]/service
- E. //serviceW Courier Newlr Z

Correct Answer: BCD

QUESTION 3

Select which of the following correctly describes (1) and (2) in the XML Schema document below when the content of the "Flag" element must be an integer of 0 or 1



- A. (1) xs:minInclusive (2) xs:maxInclusive
- B. (1) xs:enumeration (2) xs:enumeration
- C. (1) xs:minOccurs (2) xs:maxOccurs
- D. (1) xs:minExclusive (2) xs:maxExclusive W Courier Newlr Z

Correct Answer: AB

QUESTION 4

Select which of the following statements is correct.

- A. When repeatedly using the same element name of an element within a single XML document use an ID type attribute to distinguish each element.
- B. A child element has a multiple number of different parent elements.
- C. When converting customer information or other multiple occurrence data to an XML document the data must go into separate XML documents since a multiple number of root elements are not permitted.
- D. In a DTD an element's content default value cannot be set. W Courier Newlr Z

Correct Answer: D

QUESTION 5

Which of the following correctly describes how character content of an element in an XML document can be handled.

- A. The only character sets that can be handled are UTF-8 or UTF-16
- B. A comment text string cannot be written inside an element.
- C. Allowable characters depend on the character font used.
- D. For characters that cannot be input directly designating the character code number allows for input. W Courier Newlr Z

Correct Answer: D
