



JN0-102^{Q&As}

Juniper Networks Certified Internet Associate, Junos(JNCIA-Junos)

Pass Juniper JN0-102 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-102.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two statements are true regarding trace options on Junos devices? (Choose two.)

- A. You can see the contents of the log file by entering the show log command.
- B. Trace options will send information to your screen automatically.
- C. Trace options are limited to one protocol at a time.
- D. The file name and a set of flags may be specified when enabling traceoptions.

Correct Answer: AD

QUESTION 2

You configured an interface with an IP address and committed the change. You then committed a change that added an exception in a firewall filter to allow this network through the filter. You realize that this work was done on the wrong router.

How do you undo all these changes?

- A. rollback 2
- B. rollback 1
- C. rollback 0
- D. rollback 3

Correct Answer: A

QUESTION 3

Click the Exhibit.

```
[edit system ntp]
user@router# show
boct-server 172.25.11.254;
```

Referring to the exhibit, which action would synchronize a new router's clock with the NTP server?

- A. Reboot the router.
- B. Configure the correct NTP trusted key using the set trusted-key configuration command under the [edit system ntp] hierarchy.



C. Issue the set date ntp operational command.

D. Configure the NTP server using the set server 172.25.11.254 configuration command under the [edit system ntp] hierarchy.

Correct Answer: D

QUESTION 4

Which command displays the current temperature of a Junos device's components?

A. show chassis temperature-thresholds

B. show chassis environment

C. show chassis hardware

D. show chassis alarms

Correct Answer: B

QUESTION 5

Click the Exhibit button.

```
user@router> show route forwarding-table
Routing table: inet
Internet:
Destination      Type  RtRef  Next hop          Type  Index  NhRef  Netif
default          user  0      0:32.51.07.89.2   ucst  520    3      ge-
0/0/0.0
default          perm  0                      rjct  36      1
0.0.0.0/32       perm  0                      dscd  34      1
10.21.0.0/16     user  0      192.168.10.100    ucst  535    3      ge-0/0/2.0
10.21.14.0/24   user  0      192.168.11.100    ucst  528    3      ge-0/0/1.0
10.21.14.10/30  user  0      192.168.12.100    ucst  530    3      ge-0/0/3.0
```

Referring to the exhibit, which next-hop interface will be used to reach the 10.21.14.16 destination?

A. ge-0/0/3.0

B. ge-0/0/0.0

C. ge-0/0/2.0

D. ge-0/0/1.0

Correct Answer: D



VCE & PDF

GeekCert.com

<https://www.geekcert.com/jn0-102.html>

2024 Latest geekcert JN0-102 PDF and VCE dumps Download

[JN0-102 PDF Dumps](#)

[JN0-102 Study Guide](#)

[JN0-102 Exam Questions](#)