



# JN0-201<sup>Q&As</sup>

Juniper networks Certified internet associate.m(jncia-m)

## Pass Juniper JN0-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-201.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which two steps are required for RIP to redistribute OSPF routes? (Choose two.)

- A. apply the redistribution policy to RIP as export
- B. create a redistribution policy accepting the RIP routes
- C. apply the redistribution policy to OSPF as export
- D. apply the redistribution policy to OSPF as import
- E. apply the redistribution policy to RIP as import
- F. create a redistribution policy accepting the OSPF routes

Correct Answer: AF

---

### QUESTION 2

Which CLI command displays routes received from an EBGP peer?

- A. showbgp received routes x.x.x.x
- B. showbgp advertised routes x.x.x.x
- C. show route receive-protocolbgp x.x.x.x
- D. show route advertising-protocolbgp x.x.x.x

Correct Answer: C

---

### QUESTION 3

How can you identify all routes that are more specific than 10.0/16, excluding the exact match?

- A. route-filter 10.0/16orlonger
- B. route-filter 10.0.0/17 longer
- C. route-filter 10.0.0/17upto /32
- D. route-filter 10.0/16 longer

Correct Answer: D

---

### QUESTION 4

Given the following configuration:



```
interfaces { so-0/0/0 { unit 0 { family inet { address 10.10.10.1/24; } } } so-0/0/1 { unit 0 { family inet { address 20.20.20.1/24; } } } lo0 { unit 0 { family inet { address 192.168.1.1/32; } } }
```

Which is considered an exception packet?

- A. IP packet addressed to 10.100.100.10
- B. ICMP traceroute packet with TTL set to 5
- C. ICMP echo request addressed to 172.16.1.1
- D. IP packet with the Router Alert option set

Correct Answer: D

---

#### QUESTION 5

Which two routes may be advertised via EBGP? (Choose two.)

- A. routes that originate on the local router and are from protocol aggregate
- B. routes that do not originate in the local AS and are learned by OSPF
- C. routes that are transiting the local router and are from protocol BGP
- D. routes that originate on the local router and are injected using policy

Correct Answer: CD

[Latest JN0-201 Dumps](#)

[JN0-201 Study Guide](#)

[JN0-201 Braindumps](#)