



JN0-321^{Q&As}

DX, Associate(JNCIA-DX)

Pass Juniper JN0-321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You would like to configure a channelized OC3 interface with the following properties:

Slot 4 Port 0 Path Channel 3 Virtual Tributary Group 4 Virtual Tributary 1 timeslots 112

Which set of configuration commands accomplishes this goal?

- A. controller sonnet 4/0path 1 oc1 3path 1 ds1 1/4/1 vt15path 1 ds1 1/4/1/channel 1group 1 timeslot 112
- B. controller sonnet 4/0path 3 oc1 1path 3 ds1 1/4/1 vt15path 3 ds1 1/4/1/channel 1group 1 timeslot 112
- C. controller sonnet 4/0path 1 oc1 3path 1 ds1 1/4/1 vt15path 1 ds1 1/4/1/channel 1group 1 timeslot 112
- D. controller sonnet 4/0path 3 oc1 1path 3 ds1 1/4/1 vt15path 3 ds1 1/4/1/channel 1group 1 timeslot 112

Correct Answer: A

QUESTION 2

Which three statements about Label Switched Paths (LSPs) are true?

- A. LSPs are bidirectional
- B. LSPs are unidirectional
- C. LSPs can be signaled by CAC.
- D. LSPs can be configured explicitly
- E. LSPs can be configured dynamically

Correct Answer: BCD

QUESTION 3

Which two statistical data types are available on the statistics page of the WebUI?(Choose two.)

- A. Request AppRules/Page AppRules
- B. Connections Accepted/Connections Refused
- C. Bytes In/Bytes Out
- D. Cache Hits/Cache Misses

Correct Answer: BC



QUESTION 4

What must you do before you enable Unified Failover?

- A. Ensure that individual failover on each service is disabled.
- B. Ensure that each DX has a unique VMAC.
- C. Manually enable failover on each service that you wish Unified Failover to manage.
- D. Manually run the Appliance Discovery Failover Protocol.

Correct Answer: A

QUESTION 5

Your ERX Edge Router is constantly going to a boot## prompt. What is the most likely cause for this condition?

- A. bad SRP
- B. low voltage
- C. bad midplane
- D. corrupted flash
- E. bad line module

Correct Answer: D

[JN0-321 PDF Dumps](#)

[JN0-321 VCE Dumps](#)

[JN0-321 Braindumps](#)