

JN0-332^{Q&As}

Juniper Networks Certified Internet Specialist, SEC (JNCIS-SEC)

Pass Juniper JN0-332 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/jn0-332.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/jn0-332.html

2024 Latest geekcert JN0-332 PDF and VCE dumps Download

QUESTION 1

Which three components can be leveraged when defining a local whitelist or blacklist for antispam on a branch SRX Series device? (Choose three.)

- A. spam assassin filtering score
- B. sender country
- C. sender IP address
- D. sender domain
- E. sender e-mail address

Correct Answer: CDE

QUESTION 2

You are asked to establish a chassis cluster between two SRX Series devices. You must ensure that endto-end connectivity is monitored and that the redundancy group will fail over to the other node if the remote device becomes unreachable.

What would ensure this behavior?

- A. Bidirectional Forwarding Detection
- B. real-time performance monitoring
- C. remote interface monitoring
- D. remote IP address monitoring

Correct Answer: D

QUESTION 3

Which SRX5400 component is responsible for forwarding a packet?

- A. IOC
- B. SPC
- C. RE
- D. SCB

Correct Answer: A

https://www.geekcert.com/jn0-332.html

2024 Latest geekcert JN0-332 PDF and VCE dumps Download

\sim 1	JEST	-10°	1 1
w	JEJI	IUI	. 4

What is sup	pported on	the fabric link?
-------------	------------	------------------

- A. jumbo frames
- B. filters
- C. fragmentation
- D. policies

Correct Answer: A

QUESTION 5

What are two interfaces created when enabling a chassis cluster? (Choose two.)

- A. st0
- B. fxp1
- C. fab0
- D. reth0

Correct Answer: BC

Latest JN0-332 Dumps

JN0-332 Exam Questions

JN0-332 Braindumps