



JN0-532^{Q&As}

FWV, Specialist (JNCIS -FWV)

Pass Juniper JN0-532 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/JN0-532.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements regarding NHTB are correct? (Choose two.)

- A. If the spoke device is not a ScreenOS device, manual configuration of NHTB is required on the hub.
- B. If the spoke device is not a ScreenOS device, manual configuration of NHTB is required on the spoke.
- C. When configuring routing on a spoke device with one tunnel interface, the route to the tunnel interface does not require a routing gateway address.
- D. When configuring routing on a hub device with one tunnel interface terminating multiple VPN spokes, the route to the tunnel interface does not require a routing gateway address.

Correct Answer: AC

QUESTION 2

Which item in a virtual system is shared by default?

- A. trust zone in the trust-vr
- B. trust zone in the untrust-vr
- C. untrust zone in the trust-vr
- D. untrust zone in the untrust-vr

Correct Answer: C

QUESTION 3

When enabling OSPF over a hub and spoke VPN, what must you configure on the hub device tunnel interface to allow spokes to receive routing updates?

- A. Point to multipoint
- B. Disable split-horizon
- C. Enable demand circuit
- D. Enable passive interface

Correct Answer: A

QUESTION 4

Which three steps comprise the basic NSRP configuration? (Choose three.)



- A. Adjust VSD settings.
- B. Configure interfaces.
- C. Establish the HA link.
- D. Activate NSRP protocol.
- E. Configure cluster settings.

Correct Answer: ACE

QUESTION 5

Which two statements are correct when manage-ip and manager-ip settings are configured properly? (Choose two.)

- A. manager-ip is configured for each zone.
- B. manage-ip limits who can manage a ScreenOS device.
- C. manager-ip limits who can manage a ScreenOS device.
- D. manage-ip is never published nor used as a source address.
- E. manage-ip changes the address used for packets sourced by the device.

Correct Answer: CD

[JN0-532 VCE Dumps](#)

[JN0-532 Practice Test](#)

[JN0-532 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.