



# JN0-533<sup>Q&As</sup>

FWV, Specialist (JNCIS-FWV)

## Pass Juniper JN0-533 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-533.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

What are two advantages for using the count parameter on a security policy? (Choose two.)

- A. to see if the policy is temporarily not being used
- B. to see how many times users log in to the ScreenOS device
- C. to count the total number of bytes of traffic for that policy
- D. to see any NAT traffic drops for that policy

Correct Answer: AC

---

#### QUESTION 2

What is an aggregate interface?

- A. An aggregate interface binds two physical interfaces together to create a redundant interface.
- B. An aggregate interface is used for VPN tunnels.
- C. An aggregate interface is the management interface.
- D. An aggregate interface binds two or more physical interfaces that share the traffic load.

Correct Answer: D

---

#### QUESTION 3

What are three required policy elements? (Choose three.)

- A. source address
- B. protocol
- C. service
- D. log
- E. destination address

Correct Answer: ACE

---

#### QUESTION 4

Which ScreenOS security feature helps protect against port scans and denial of service attacks?

- A. session-based stateful firewall



- B. Screen options
- C. security policies
- D. IPsec VPNs

Correct Answer: B

#### QUESTION 5

Based on the output shown in the exhibit, in which log were these events displayed?

Date Time Module Level Type Description 2012-11-30 12:49:41 system warn 00528 SSH: Password authentication failed for admin user '\\firewall-user\\' at host

10.210.62.67.

2012-11-30 12:49:41 system warn 00518 ADM: Local admin authentication

failed for login name firewall-user: invalid login name 2012-11-30 12:49:28 system info 00536 IKE 66.129.232.26 Phase 1: Retransmission limit has been reached. 2012-11-30 12:42:23 system notif 00531 The system clock was updated from primary NTP server type 209.244.0.5 with an adjustment of 234 ms. Authentication was None. Update mode was Automatic

- A. event
- B. self
- C. login
- D. traffic

Correct Answer: A

[JN0-533 PDF Dumps](#)

[JN0-533 Practice Test](#)

[JN0-533 Braindumps](#)