



JN0-633^{Q&As}

Security, Professional (JNCIP-SEC)

Pass Juniper JN0-633 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-633.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which action will allow an administrator to connect in band to an SRX Series device in transparent mode over SSH?

- A. Use a VLAN interface.
- B. Use the loopback interface.
- C. Use a logical interface.
- D. Use an irb interface.

Correct Answer: D

QUESTION 2

Click the Exhibit button.

user@host> show security flow session extensive Session ID: 1173, Status: Normal Flag: Ox0 Policy name: two/6
Source NAT pool: interface, Application: junos-ftp/1 Dynamic application: junos:UNKNOWN, Application traffic control
rule-set: INVALID, Rule: INVALID Maximum timeout: 1800, Current timeout: 1756 Session State: Valid Start time: 4859,
Duration: 99

In: 172.20.103.10/56457 --> 10.210.14.130/21;tcp,

Interface: vlan.103,

Session token: Ox8, Flag: Ox21

Route: 0x100010, Gateway: 172.20.103.10, Tunnel: 0

Port sequence: 0, FIN sequence: 0, FIN state: 0,

Pkts: 12, Bytes: 549

Out: 10.210.14.130/21 --> 10.210.14.133/18698;tcp,

Interface: ge-0/0/0.0,

Session token: 0x7, Flag: Ox20

Route: 0xf0010, Gateway: 10.210 14.130, Tunnel: 0

Port sequence: 0, FIN sequence: 0,

FIN state: 0,

Pkts: 8, Bytes: 514

Total sessions: 1

A user complains that they are unable to download files using FTP. They are able to connect to the remote site, but cannot download any files. You investigate and execute the show security flow session extensive command to receive



the result shown in the exhibit.

What is the cause of the problem?

- A. The NAT translation is incorrect.
- B. The FTP ALG has been disabled.
- C. Passive mode FTP is not enabled.
- D. The FTP session is using the wrong port number.

Correct Answer: B

QUESTION 3

Which two are required for the SRX device to perform DNS doctoring? (Choose two.)

- A. DNS ALG
- B. dns-doctoring stanza
- C. name-server
- D. static NAT

Correct Answer: AD

QUESTION 4

Which two configuration components are required for enabling transparent mode on an SRX device? (Choose two.)

- A. IRB
- B. bridge domain
- C. interface family bridge
- D. interface family ethernet-switching

Correct Answer: BC

QUESTION 5

You have configured static NAT for a Web server in your DMZ. Both internal and external users can reach the Web server using its IP address. However, only internal users are able to reach the Web server using its DNS name. External users receive an error message from their browser.

Which action would solve this problem?



- A. Modify the security policy.
- B. Disable Web filtering.
- C. Use destination NAT instead of static NAT.
- D. Use DNS doctoring.

Correct Answer: D

[JN0-633 PDF Dumps](#)

[JN0-633 VCE Dumps](#)

[JN0-633 Practice Test](#)