



# JN0-633<sup>Q&As</sup>

Security, Professional (JNCIP-SEC)

## Pass Juniper JN0-633 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-633.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Somebody has inadvertently configured several security policies with application firewall rule sets on an SRX device. These security policies are now dropping traffic that should be allowed. You must find and remove the application firewall rule sets that are associated with these policies. Which two commands allow you to view these associations? (Choose two.)

- A. show security policies
- B. show services application-identification application-system-cache
- C. show security application-firewall rule-set all
- D. show security policies application-firewall

Correct Answer: AD

---

### QUESTION 2

Your company's network has seen an increase in Facebook-related traffic. You have been asked to restrict the amount of Facebook-related traffic to less than 100 Mbps regardless of congestion. What are three components used to accomplish this task? (Choose three.)

- A. IDP policy
- B. application traffic control
- C. application firewall
- D. security policy
- E. application signature

Correct Answer: BDE

---

### QUESTION 3

How does the SRX5800, in transparent mode, signal failover to the connected switches?

- A. It initiates spanning-tree BPDUs.
- B. It sends out gratuitous ARPs.
- C. It flaps the impaired interfaces.
- D. It uses an IP address monitoring configuration.

Correct Answer: B

---



#### QUESTION 4

In the IPS packet processing flow on an SRX Series device, when does application identification occur?

- A. before fragmentation processing
- B. after protocol decoding
- C. before SSL decryption
- D. after attack signature matching

Correct Answer: A

---

#### QUESTION 5

You are asked to troubleshoot ongoing problems with IPsec tunnels and security policy processing. Your network consists of SRX240s and SRX5600s. Regarding this scenario, which two statements are true? (Choose two.)

- A. You must enable data plane logging on the SRX240 devices to generate security policy logs.
- B. You must enable data plane logging on the SRX5600 devices to generate security policy logs.
- C. IKE logs are written to the kmd log file by default.
- D. IPsec logs are written to the kmd log file by default.

Correct Answer: BD

[JN0-633 VCE Dumps](#)

[JN0-633 Practice Test](#)

[JN0-633 Study Guide](#)